

30W Gigabit PoE Injector



MPN: POEINJ-30W

Product Highlights

- Support 1*1Gbps PoE out port+1*1Gbps Data in port
- Comply with IEEE802.3af (15.4W), IEEE802.3at (30W)
- Support AC 100-240V power supply
- Support wall mount
- Ethernet Port Supports 10/100/1000Mbps self-adaptive and PoE functions
- Support Port Auto Flip (Auto MDI/MDIX)

Hardware Features

Description	Specification
Model	POEINJ-30W
Interface	1*1Gbps PoE out Port 1*1Gbps Data in Port
Port Standard	IEEE802.3 (Ethernet) IEEE802.3u (Fast Ethernet) IEEE802.3ab (Gigabit Ethernet) IEEE802.3x (Flow Control)
PoE Standard	15.4 W (IEEE 802.3af) 30 W (IEEE 802.3at)
PoE Port Output Voltage	DC 44-57V
Power Supply	AC 100-240V 50/60Hz
PoE port	Port PoE power output<30W
Structure Information	Product Dimensions: 166*56.5*39.2mm Packaging Dimensions: 203*160*55mm Product Net Weight: 0.2KG Product Gross Weight: 0.4KG
Packing Information	Carton Dimensions: 580*335*445mm Packing Quantity: 40PCS Packing Weight: 17KG
Package Contents	Injector 1pcs, Manual 1pcs, Certificate of Inspection 1pcs
Certification	CE, FCC, RoHS
Installation	Wall Mounting
Operating Temperature	-10~50°C
Storage Temperature	-40~85°C
Operation Humidity	10%~90%, non condensing
Storage Humidity	5%~90%, non condensing
Port Led	Green: PWOER ON Red: PoE ON Light off: PWOER OFF
Surge protection	Port surge: Differential mode 2KV, Common mode 2KV

Product Structure Diagram

