

90W Gigabit PoE Injector



MPN: POEINJ-90W

Product Highlights

- Support 1*1Gbps PoE out port+1*1Gbps Data in port
- Comply with IEEE802.3af (15.4W), IEEE802.3at (30W), IEEE802.3bt (90W)
- Support AC 100-240V power supply
- Support wall mount
- Ethernet Port Supports 10/100/1000Mbps self-adaptive and PoE functions
- Support Port Auto Flip (Auto MDI/MDIX)

Hardware Features

Description	Specification
Model	POEINJ-90W
Interface	1*1Gbps PoE out Port 1*1Gbps Data in Port
Port Standard	IEEE802.3 (Ethernet) IEEE802.3u (Fast Ethernet) IEEE802.3ab (Gigabit Ethernet) IEEE802.3x (Flow Control)
PoE Standard	15.4 W (IEEE 802.3af) 30 W (IEEE 802.3at) 90 W (IEEE 802.3bt)
PoE Port Output Voltage	DC 52V
Power Supply	AC 100~240V 50/60Hz DC 52V1.73A
PoE port	Port PoE power output<90W
Structure Information	Product Dimensions: 187*95*40mm Packaging Dimensions: 245*190*60mm Product Net Weight: 0.48KG Product Gross Weight: 0.71KG
Packing Information	Carton Dimensions: 520*320*400mm Packing Quantity: 20PCS Packing Weight: 15.24KG
Package Contents	Injector 1pcs, Manual 1pcs, Certificate of Inspection 1pcs
Certification	CE, FCC, RoHS
Installation	Wall Mounting
Operating Temperature	-20~50°C
Storage Temperature	-40~85°C
Operation Humidity	10%~90%, non condensing
Storage Humidity	5%~90%, non condensing
PWR Red LED	On: Powered on Off: Powered off
Surge protection	Port surge: Differential mode 2KV, Common mode 6KV Electrostatic ESD: Air 8KV, Contact 6KV

Product Structure Diagram

