

Technical Specifications

HP E34m G4 WQHD Curved USB-C Conferencing Monitor




- 1. Microphones (2)
- 2. Camera Light
- 3. RGB Lens
- 4. IR Lens
- 5. IR LED
- 6. Audio Buttons

Front

- 7. USB - A Ports (2)
- 8. OSD Buttons
- 9. Power LED
- 10. Power Button
- 11. Audio Combo Jack

Technical Specifications

HP E34m G4 WQHD Curved USB-C Conferencing Monitor



1. Security Cable Slot
2. Power Connector
3. USB – A Port (2)
4. HDMI 2.0 Port
5. DisplayPort™ 1.2

Back

6. USB-C® Port (Alt Mode DisplayPort™ 1.2, power delivery up to 65W)
7. RJ45
8. USB – A Port
9. USB – A Port

Technical Specifications

Models: 40Z26AA

Panel Specifications	Display Size (Diagonal)	34"
	Panel Technology	VA
	Curved	1500R
	Max Refresh Rate	75 Hz
	Native Resolution	3440x1440*
		*Panel is VESA standards compliant.
	Panel Bit Depth	16.7M colors/ 8bit
	Aspect Ratio	21:9
	Brightness (Typical)	400 nits
	Contrast Ratio (Static)	3000:1
	Dynamic Contrast Ratio	10,000,000
	Flicker Free	Yes
	Pixel Pitch	0.23175 (W) x 0.23175 (H)
	Pixels Per Inch (PPI)	110 PPI
	Backlight Lamp Life Minimum (To Half Brightness - In Hours)	30,000
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	3H
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle (Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W x H)	79.72 x 33.37cm
	Panel Active Area Imperial (W x H)	31.39x 13.14in

NOTE: performance specifications represent the typical specifications provided by hp's component manufacturers; actual performance may vary either higher or lower.


Color Gamut Coverage	sRGB	99%
Color Management	Color Space/ Subsampling Support	RGB 4:4:4
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Standard (6500K)
	Factory Color Calibrated	Yes (Color Temperature)
	Factory Color Presets	Warm - 5000K, Neutral - 6500K, Cool - 9300K

Monitor Specifications	Bezel Type	3-sided Micro Edge
	Color Of Stand	Silver
	Color Of Head	Black
	Tilt	-5 to 20°
	Swivel	±30°
	Height Adjust Range	150mm
	Vesa Mounting	100 mm x 100 mm (bracket included)
	Security Lock	Standard Security Lock Slot
	Detachable Stand	Yes
	Warranty	Based on region
	Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)

Technical Specifications

Multimedia	Webcam	5 MP
	Webcam Features	Independent tilt -20° to 5°, Windows Hello support (IR sensor), Pop-up privacy
	Windows Hello Compatible	Yes
	Microphone	Yes (noise cancelling)
	Speaker Output Power	2 x 5W
	Conferencing Hot Keys	Mic mute, Speaker Mute, Volume Up/Down
	Certified Collaboration Software	Zoom
	Display Software	HP Display Center*, HP Display Manager *Host PC requires Windows 10. HP Display Center is available on the Microsoft store.
On Screen Display (OSD)	On Screen Display User Controls	Brightness+, Color, Image, Input, Power, Menu, Management, Information, Exit
	NATIVE RESOLUTION	WQHD (3440 x 1440) NOTE: DisplayPort 1.2 or HDMI 2.0 or USB-C 3.1 Gen1 (DP alt mode compatible) required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3440x1440 at 60 Hz with 8-bit color using one DP, HDMI, or USB-C (DP alt mode).
	MAXIMUM RESOLUTION	3440 x 1440@75Hz
	Preset Graphic Modes/Supported Resolutions	640 x 480 @ 60Hz 720 x 400 @ 70 Hz 720 x 480 @ 60Hz 800 x 600 @ 60 Hz 1024 x 768 @ 60 Hz 1280 x 720 @ 60 Hz 1280 x 800 @ 60 Hz 1280 x 1024 @ 60 Hz 1366 x 1024 @ 60 Hz 1440 x 900 @ 60 Hz 1600 x 900 @ 60 Hz 1680 x 1050 @ 60 Hz 1920 x 1080 @ 60 Hz 1920 x 1200@60Hz 3440 x 1440@60Hz 3440 x 1440@75Hz
	Minimum Vertical Scan Rate	48 Hz
	Maximum Vertical Scan Rate	75 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	150.0 kHz
	Maximum Pixel Clock	550.0 MHz
	User Programmable Modes	16
	User-Assignable Function Buttons	Yes, 3(7 options)
	AUDIO	Built-in speakers
	Languages	11 (English, Spanish, German, French, Italian, Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese and Russian)
Connector Types	DisplayPort™	1 DisplayPort™ 1.2
	HDMI	1 HDMI 2.0
	HDCP	Yes, DisplayPort and HDMI
	USB Type-C® Video and Data Transfer	1 USB Type C® (Alt Mode DisplayPort™ 1.2, power delivery up to 65W)

Technical Specifications

	USB- A	4 USB-A
	AUDIO PORT	1 x 3.5 mm Audio Jack (Audio In/Out Combo)
	ETHERNET	Yes
Special Features	SWITCH	Menu/ OK, Minus ("-")/Brightness, Plus ("+")/Color, Next
	Remote Manageability	Active Input/Exit, Power
	User Presets	In-Band MAPT, In-Band WoL PXE Boot
	User Updateable Firmware	16 Yes
Power & Operating Specs	Power Supply	Internal
	Power Source	100 – 240 VAC 50/60
	Power Consumption- Max	185 W
	Energy Saving/Stand By Mode	0.5 W
	Power Consumption- Typical	65W
Energy Star Data	Operational Mode at 100 VAC	34 W
	Operational Mode at 115 VAC	34 W
	Operational Mode at 230 VAC	34 W
EU Energy Efficiency Class (ErP Lot-5)	On-mode Power Consumption (EC 1062/2010)	32 W
	Energy Efficiency Class	
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
	Operating Temperature - Fahrenheit	41° – 95°F
	Non-operating Temperature - Celsius	–34° – 60°C
	Non-operating Temperature - Fahrenheit	–29° – 140°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-operating Humidity	5 – 95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)
Environmental Features and Certifications	Low Halogen	Yes
	Agency Approvals and Certifications	NOTE: External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
		WW application
		CE/CB/KC/KCC/E-Standby (KES)/NOM/ICE/TUV-S/ISO 9241-307/ EAC/cTUVus/PSB/ISC/CCC/CEL/CECP/SEPA/TCO/TCO Certified Edge/VCCI/FCC/BSMI/WEEE/UAE ECAS/ Ukraine/South Africa NRCS/BIS/RCM/TUV-GS/Energy star 8.0/Mexico energy/Belarus Energy/TGM
		Win 11, Win 10
	Microsoft WHQL Certification	Yes, ENERGY STAR®
	ENERGY STAR® Certified	EPEAT® registered*
	EPEAT® Registered	*Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit http://www.epeat.net for more information
	China Energy Label	CEL Grade 2*
		*Monitors produced from June 2024 comply with China regulation GB 21520-2023.
	TCO Certified Edge	Yes
	TCO Certified	Yes

Technical Specifications

	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics Recyclable Packaging (Box, packing materials)	ABS 85%, 5% Ocean-Bound Plastic 100% recyclable (with 90% recycled content totally)* <i>*100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic.</i>	
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	Metric	Imperial
		80.83 x 23.3 x 54.32 cm	31.82 x 9.17 x 21.38 in
	Product Dimensions (Packed) (W x D x H)	90.5 x 28.1 x 48.1 cm	35.63 x 11.06 x 18.94 in
	Display Head Dimensions (Unpacked without stand) (W x D x H)	80.83 x 10.91 x 38.81 cm	31.82 x 4.29 x 15.28 in
	Base Area Footprint (w x d mm)	270 x 233 mm	10.63x9.17 in
	Bezel Measurements	Bottom :42 mm	Bottom :1.65 in
	Product Weight (Unpacked with stand)	11.98 kg	26.4 lb
	Product Weight (Packed)	17.69 kg	38.85 lb
	Product Weight (Head Only)	8.25 kg	18.18 lb
	Pallet Information	Pallet Dimensions (L x W x H)	1142 x 919 x 2064 mm
Pallet Total Weight (L x W x H)		299.04 kg	658.97 lb
Pallet Layers		4	
Pallet Product per Layer		4	
Total Products per Pallet		16	
Container Load, 20-Foot		192	
Container Load, 40-Foot		416	
What's in the box?	Container Load, 40-Foot HighQ	520	
	AC power cord (1.83m) 6.2 ft		
	USB C to C Cable (1.8m) 5.9 ft		
	VESA mount adapter		
User Guide and Warranty Languages	Warranty		
	Product Notice		
	Quick Setup Poster		
User Guide and Warranty Languages	User Guide Languages	Arabic, Bahasa Indonesia, Bulgarian, Chinese-S, Chinese-T, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Kazakh, Korean, Latvian, Lithuanian, Norwegian, Polish, Portuguese (Brazilian), Portuguese (Iberian), Romanian, Russian, Serbian, Slovak, Slovenian, Spanish, Swedish, Thai, Turkey, Ukrainian	
	Warranty Languages	English US (EN), English AP (EN-AP), English LA (EN-LA), English UK (EN-GB), Arabic (AR) -17x, Bahasa Indonesia (ID), Bosnian (BS), Bulgarian (BG), Chinese-S (CN), Chinese-T (TW), Croatian (HR), Czech (CS), Danish (DA), Dutch (NL), Estonian (ET), Finnish (FI), French Canadian (FC), French	

Technical Specifications

European (FR), German (DE), Greek (EL), Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA), Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH), Turkish (TR), Ukrainian (UK), Vietnamese (VI)

Technical Specifications

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	<p>This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks:</p> <ul style="list-style-type: none"> • IT ECO declaration • US ENERGY STAR® • US Federal Energy Management Program (FEMP) • EPEAT® Gold registered in the United States. See http://www.epeat.net for registration status in your country. • TCO Certified • China Energy Conservation Program (CECP) • China State Environmental Protection Administration (SEPA) • Taiwan Green Mark • Korea Eco-label • Japan PC Green label* 		
Sustainable Impact Specifications	<ul style="list-style-type: none"> • Ocean-bound plastic in Stand • 85% post-consumer recycled plastic • Low halogen • Outside Box and corrugated cushions are 100% sustainably sourced and recyclable 		
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a “Typically Configured Notebook”.		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	31.04 W	30.86 W	N/A
Sleep	0.26 W	0.28 W	N/A
Off	0.25 W	0.26 W	N/A
	<p>NOTE: Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.</p>		
Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	106.15 BTU/hr	105.54 BTU/hr	xxx BTU/hr
Sleep	0.88 BTU/hr	0.95 BTU/hr	xxx BTU/hr
Off	0.85 BTU/hr	0.88 BTU/hr	xxx BTU/hr
	* NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.		
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the		
	Spare parts are available throughout the warranty period and or for up to “5” years after the end of production.		

Technical Specifications

Additional Information	<ul style="list-style-type: none"> This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC. This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive – 2002/96/EC. This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986). This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see www.epeat.net Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043. This product is 95.3% recycle-able when properly disposed of at end of life. 		
Packaging Materials	External:	PAPER/Corrugated	5009 g
	Internal:	PLASTIC/Polyethylene high density - HDPE	75 g
	The plastic packaging material contains at least 0.00% recycled content.		
	The corrugated paper packaging materials contains at least 92.0% recycled content.		
RoHS Compliance	<p>HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.</p> <p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances—including PVC, BFRs, and certain phthalates—in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see HP RoHS position statement.</p>		
Material Usage	<p>This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):</p> <ul style="list-style-type: none"> Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (DBP) Diisobutyl phthalate (DIBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead and Lead compounds Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyls (PBBs) 		

Technical Specifications

	<ul style="list-style-type: none"> • Polybrominated Biphenyl Ethers (PBBEs) • Polybrominated Biphenyl Oxides (PBBOs) • Polychlorinated Biphenyl (PCB) • Polychlorinated Terphenyls (PCT) • Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. • Radioactive Substances • Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	<p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"> • Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. • Eliminate the use of ozone-depleting substances (ODS) in packaging materials. • Design packaging materials for ease of disassembly. • Maximize the use of post-consumer recycled content materials in packaging materials. • Use readily recyclable packaging materials such as paper and corrugated materials. • Reduce size and weight of packages to improve transportation fuel efficiency. • Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	<p>HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard web site at: http://www.hp.com/go/recyclers. These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.</p>
HP, Inc. Corporate Environmental Information	<p>For more information about HP's commitment to the environment:</p> <p>Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html</p> <p>Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html</p> <p>ISO 14001 certificates: http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf</p>
footnotes	<ul style="list-style-type: none"> • Percentage of ocean-bound plastic contained in each component varies by product • Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard. • External power supplies, WWAN modules, power cords, cables and peripherals excluded. • 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.

Technical Specifications

Copyright © 2024 HP Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log			
December 2, 2021	V1 to V2	Add	Environmental Data
February 7, 2023	V2 to V3	Update	EU Energy Efficiency Class (ERP Lot-5) section
April 13, 2023	V3 to V4	Updated	Color Management section
December 21, 2023	V4 to V5	Added	Windows 11
April 29, 2024	V5 to V6	Updated	China Energy Label