


Overview

HPE Solid State Drives (SSD)

HPE Solid State Drives (SSDs) deliver exceptional performance and endurance for customers with applications requiring high random read IOPs performance. Leveraging NAND Flash technology, they support HPE ProLiant servers, HPE Synergy and server storage platforms. They are generally available as Small Form Factor (SFF) and Large Form Factor (LFF) hot plug devices, non-hot plug SFF devices, and SFF Quick Release devices. These drives deliver higher performance, lower latency, and more power-efficient solutions when compared with traditional rotating media. Plus they fit seamlessly into the existing HPE server infrastructure.



What's New

- HPE 480GB, 960GB, 1.92TB, 3.84TB 12Gb SAS Read Intensive-3 SSDs
- HPE 400GB, 800GB, 1.6TB, 3.2TB 12Gb SAS Mixed Use-3 SSDs

Models

Models

HPE Solid State Drives (SSD)

6G SATA Read Intensive Hot Plug SFF (2.5-inch) SSDs

NOTE: These drives support Gen8 servers and beyond only.

HPE 3.84TB 6G SATA Read Intensive-3 SFF 3.5-in SC 3yr Wty Solid State Drive 816929-B21

HPE 1.92TB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive 816919-B21

HP 1.6TB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive 804605-B21

HP 1.6TB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 757339-B21

NOTE: These drives support G7 servers only.

HP 1.6TB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 757351-B21

NOTE: These drives support Gen8 servers and beyond only.

HPE 960GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive 816909-B21

NOTE: This drive supports G7 servers only.

NOTE: These drives support Gen8 servers and beyond only.

HP 800GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive 804599-B21

HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 717973-B21

NOTE: These drives support G7 servers only.

HP 800GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 728743-B21

NOTE: These drives support Gen8 servers and beyond only.

HPE 480GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive 816899-B21

HP 480GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive 804593-B21

HP 480GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive 789145-B21

HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 717971-B21

NOTE: These drives support G7 servers only.

HP 480GB 6G SATA Read Intensive SFF 2.5-in 3yr Wty Solid State Drive 789151-B21

HP 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 728739-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 600GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 739898-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 300GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 739888-B21

NOTE: This drive supports G7 servers only.

HP 600GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 739904-B21

NOTE: This drive supports G7 servers only.

HP 300GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 739894-B21

NOTE: This drive supports Gen8 servers and beyond only.

HPE 240GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive 816889-B21

HP 240GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive 804587-B21

HP 240GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive 789135-B21

HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 717969-B21

NOTE: This drives supports G7 servers only.

HP 240GB 6G SATA Read Intensive SFF 2.5-in 3yr Wty Solid State Drive 789141-B21

HP 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive 728735-B21

NOTE: This drive supports Gen8 servers and beyond only.

Models

HPE 120GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816879-B21
HP 120GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804581-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	717965-B21
NOTE: This drive supports G7 servers only.	
HP 120GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive	728726-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HP 80GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804575-B21
HP 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	734360-B21
NOTE: This drive supports G7 servers only.	
HP 80GB 6G SATA Value Endurance SFF 2.5-in Enterprise Boot 3yr Wty Solid State Drive	734366-B21
6G SATA Read Intensive Hot Plug LFF (3.5-inch) SSDs	
NOTE: These drives support Gen8 servers and beyond only.	
HPE 3.84TB 6G SATA Read Intensive-3 LFF 2.5-in SC Converter 3yr Wty Solid State Drive	816933-B21
HPE 1.92TB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816923-B21
HP 1.6TB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804608-B21
HP 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive	757342-B21
NOTE: These drive support G7 servers only.	
NOTE: These drives support Gen8 servers and beyond only.	
HPE 960GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816913-B21
HP 800GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804602-B21
HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	718189-B21
NOTE: These drive support G7 servers only.	
HP 800GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	728745-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HP 600GB 6G SATA Value Endurance LFF 3.5-in SC Conveter Enterprise Value 3yr Wty Solid State Drive	739900-B21
NOTE: This drive supports G7 servers only.	
HP 600GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	739906-B21
NOTE: These drives support Gen8 servers and beyond only.	
HPE 480GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816903-B21
HP 480GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804596-B21
HP 480GB 6G SATA Read Intensive LFF 3.5-in SC Converter 3yr Wty Solid State Drive	789147-B21
HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	718183-B21
NOTE: This drive supports G7 servers only.	
HP 480GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	728741-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HP 300GB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive	739890-B21
NOTE: This drive supports G7 servers only.	
HP 300GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	739896-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HPE 240GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816893-B21
HP 240GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804590-B21
HP 240GB 6G SATA Read Intensive LFF 3.5-in SC Converter 3yr Wty Solid State Drive	789137-B21
HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	718177-B21
NOTE: This drive supports G7 servers only.	
HP 240GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	728737-B21

Models

NOTE: This drive supports Gen8 servers and beyond only.

HP 120GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive 816883-B21

HP 120GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive 804584-B21

HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive 718171-B21

NOTE: This drive supports G7 servers only.

HP 120GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive 728732-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 80GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive 804578-B21

HP 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive 734362-B21

NOTE: This drive supports G7 servers only.

HP 80GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive 734368-B21

6G SATA Non-hot Plug SFF (2.5-inch) SSDs

HP 960GB 6G SATA Read Intensive SFF 2.5-in 3yr Wty Non-hot Plug Solid State Drive 789163-B21

HP 480GB 6G SATA Read Intensive SFF 2.5-in 3yr Wty Non-hot Plug Solid State Drive 789153-B21

6G SATA Quick Release SSDs

NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.

HP 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive 718174-B21

HP 80GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Boot 3yr Wty Solid State Drive 734364-B21

HP 480GB 6G SATA Read Intensive SFF 2.5-in Quick-release 3yr Wty G2 Solid State Drive 789149-B21

NOTE: This drive is supported by select SL Gen9, Gen8, G7 servers only.

NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.

HP 800GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3y Wty Solid State Drive 718192-B21

HP 480GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive 718186-B21

HP 300GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive 739892-B21

NOTE: This drive also supports the Moonshot System.

HP 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive 718180-B21

12G SAS Read Intensive Hot Plug SFF (2.5-inch) SSDs

NOTE: These drives support Gen8 servers and beyond only.

HP 3.84TB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive 816576-B21

NOTE: These drives support G7 only.

HP 3.84TB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive 816574-B21

NOTE: These drives support Gen8 servers and beyond only.

HP 1.92TB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive 816572-B21

HP 1.92TB 12G SAS Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive 802891-B21

NOTE: These drives support G7 only.

HP 1.92TB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive 816570-B21

HP 1.92TB 12G SAS Read Intensive SFF 2.5-in 3yr Wty Solid State Drive 802888-B21

NOTE: These drives support Gen8 servers and beyond only.

HP 1.6TB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 762263-B21

HP 960GB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive 816568-B21

NOTE: These drives support G7 only.

HP 960GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive 816564-B21

NOTE: These drives support Gen8 servers and beyond only.

HP 800GB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive 762261-B21

HP 480GB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive 816562-B21

Models

NOTE: These drives support G7 only.

HPE 480GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive

816560-B21

12G SAS Read Intensive Hot Plug LFF (3.5-inch) SSDs

NOTE: These drives support Gen8 servers and beyond only.

HP 1.6TB 12G SAS Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive

762272-B21

HP 800GB 12G SAS Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive

762270-B21

Read Intensive Solid State M.2 Enablement Kit

NOTE: These drives are supported by the BL460c Gen9

HP Dual 64GB Value Endurance Solid State M.2 Enablement Kit for ProLiant Blades

775588-B21

HP 64GB Value Endurance Solid State M.2 Enablement Kit for ProLiant Blades

785233-B21

NOTE: These drives are supported by ProLiant ML/DL Gen9 Servers

HP 120GB Value Endurance Solid State M.2 Enablement Kit for ProLiant ML/DL Servers

788028-B21

HP Dual 120GB Value Endurance Solid State M.2 Enablement Kit for ProLiant ML/DL Servers

777894-B21

Read Intensive M.2 2280 SSD

NOTE: These drives are supported by SL4540 Gen9

HP 120GB 6G SATA Read Intensive M.2 2280 3yr Wty Solid State Drive

777262-B21

HPE 340GB 6G SATA Read Intensive M.2 2280 3yr Wty Solid State Drive

777264-B21

NVMe PCIe Read Intensive SSDs

NOTE: This drive supports DL380Gen9 only

HP 2TB NVMe PCIe Read Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

764908-B21

These drives support DL360, DL380, DL560, DL580, ML350 Gen9 only

HP 1.6TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive

765038-B21

HP 400GB NVMe PCIe Read Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

764904-B21

HPE Mixed Use (MU) SSDs

6G SATA Mixed Use Hot Plug SFF (2.5-inch) SSDs

NOTE: This drive supports Gen8 servers and beyond only.

HPE 1.92TB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive

817011-B21

HP 1.6TB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive

804631-B21

NOTE: This drive supports Gen8 servers and beyond only.

HPE 960GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive

816995-B21

HP 960GB 6G SATA Light Endurance SFF 2.5-in SC Enterprise Light 3yr Wty G1 Solid State Drive

756601-B21

NOTE: This drive supports G7 servers only.

HP 960GB 6G SATA Light Endurance SFF 2.5-in Enterprise Light 3yr Wty G1 Solid State Drive

756611-B21

NOTE: These drives support Gen8 servers and beyond only.

HP 800GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive

804625-B21

HP 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive

764929-B21

NOTE: These drives support G7 servers only.

NOTE: These drives support Gen8 servers and beyond only.

HPE 480GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive

816985-B21

HP 480GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive

832414-B21

HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive

764927-B21

HP 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive

756657-B21

NOTE: These drives support G7 servers only.

HP 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive

764918-B21

Models

HP 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty G1 Solid State Drive	756666-B21
NOTE: These drives support Gen8 servers and beyond only.	
HP 240GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816975-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive	764925-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive	756636-B21
NOTE: These drives support G7 servers only.	
HP 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive	764916-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty G1 Solid State Drive	756651-B21
NOTE: These drives support Gen8 servers and beyond only.	
HP 200GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804613-B21
NOTE: These drives support Gen8 servers and beyond only.	
HPE 120GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816965-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive	764923-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive	756621-B21
NOTE: These drives support G7 servers only.	
HP 120GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive	764914-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty G1 Solid State Drive	756630-B21
6G SATA Mixed Use Hot Plug LFF (3.5-inch) SSDs	
NOTE: This drive supports Gen8 servers and beyond only.	
HPE 1.92TB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	817015-B21
HP 1.6TB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804634-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HPE 960GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816999-B21
HP 960GB 6G SATA Light Endurance LFF 3.5-in SC Converter ENT Light 3yr Wty G1 Solid State Drive	756604-B21
HP 800GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804628-B21
HP 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764945-B21
NOTE: This drive supports G7 servers only.	
HP 800GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State Drive	764937-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HPE 480GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816989-B21
HP 480GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	832417-B21
HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764943-B21
HP 480GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1 Solid State Drive	756660-B21
NOTE: This drive supports G7 servers only.	
HP 480GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State Drive	764935-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HPE 240GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816979-B21
HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764941-B21
HP 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1 Solid State Drive	756639-B21
NOTE: This drive supports G7 servers only.	
HP 240GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State Drive	764933-B21
NOTE: This drive supports Gen8 servers and beyond only.	
HP 200GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804616-B21
NOTE: This drive supports Gen8 servers and beyond only.	

Models

HPE 120GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816969-B21
HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764939-B21
HP 120GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1 Solid State Drive	756624-B21

NOTE: This drive supports G7 servers only.

HP 120GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State Drive	764931-B21
---	------------

6G SATA Mixed Use Non-hot Plug SFF (2.5-inch) SSDs

NOTE: These drives are supported by Gen9, Gen8, G7 only.

HP 480GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756669-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756654-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756633-B21

6G SATA Quick-release SFF (2.5-inch) SSDs

NOTE: These drives are supported by select SL Gen9, Gen8, G7 servers only.

HP 960GB 6G SATA Light Endurance SFF 2.5-in Quick-release ENT Light 3yr Wty G1 Solid State Drive	756607-B21
--	------------

NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.

HP 480GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty M1 Solid State Drive	764951-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty M1 Solid State Drive	764949-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty M1 Solid State Drive	764947-B21

NOTE: These drives are supported by select SL Gen9, Gen8, G7 servers only.

HP 480GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty G1 Solid State Drive	756663-B21
HP 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty G1 Solid State Drive	756642-B21
HP 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty G1 Solid State Drive	756627-B21

12G SAS Mixed Use Hot Plug SFF (2.5-inch) SSDs

NOTE: These drives support Gen8 servers and beyond only.

HPE 3.2TB 12G SAS Mixed Use-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive	822567-B21
---	------------

NOTE: This drive supports G7 servers only.

HPE 3.2TB 12G SAS Mixed Use-3 SFF 2.5-in 3yr Wty Solid State Drive	822565-B21
HPE 1.6TB 12G SAS Mixed Use-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive	822563-B21

NOTE: This drive supports G7 servers only.

HPE 1.6TB 12G SAS Mixed Use-3 SFF 2.5-in 3yr Wty Solid State Drive	822561-B21
NOTE: These drives support Gen8 servers and beyond only.	

HPE 800GB 12G SAS Mixed Use-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive	822559-B21
NOTE: This drive supports G7 servers only.	

HPE 800GB 12G SAS Mixed Use-3 SFF 2.5-in 3yr Wty Solid State Drive	822557-B21
NOTE: These drives support Gen8 servers and beyond only.	

HPE 400GB 12G SAS Mixed Use-3 SFF 2.5-in SC 3yr Wty FIO Solid State Drive	822555-B21
NOTE: This drive supports G7 servers only.	

HPE 400GB 12G SAS Mixed Use-3 SFF 2.5-in 3yr Wty Solid State Drive	822553-B21
NVMe PCIe Mixed Use SSDs	

NOTE: These drives support DL380 Gen9 only

HP 2TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive	765044-B21
NOTE: This drive supports DL360, DL380, DL560, DL580Gen9 only	

HP 1.6TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive	765038-B21
NOTE: These drives support DL360, DL380, DL560, DL580, ML350 Gen9 only	

Models

HP 800GB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive	765036-B21
HP 400GB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive	765034-B21

HPE Write Intensive (WI) SSDs

6G SATA Write Intensive Hot Plug SFF (2.5-inch) SSDs

NOTE: This drive supports Gen8 servers and beyond only.

HP 1.2TB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804677-B21
--	------------

NOTE: This drive supports Gen8 servers and beyond only.

HP 800GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804671-B21
--	------------

HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691868-B21
---	------------

NOTE: This drive supports G7 servers only.

HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730065-B21
--	------------

NOTE: This drive supports Gen8 servers and beyond only.

HP 400GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804665-B21
--	------------

HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691866-B21
---	------------

NOTE: This drive supports G7 servers only.

HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730063-B21
--	------------

NOTE: This drive supports Gen8 servers and beyond only.

HP 200GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804639-B21
--	------------

HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691864-B21
---	------------

NOTE: These drives support G7 servers only.

HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730061-B21
--	------------

NOTE: This drive supports Gen8 servers and beyond only.

HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691862-B21
---	------------

NOTE: These drives support G7 servers only.

HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730059-B21
--	------------

6G SATA Write Intensive Hot Plug LFF (3.5-inch) SSDs

NOTE: This drive supports Gen8 servers and beyond only.

HP 1.2TB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804680-B21
---	------------

HP 800GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804674-B21
---	------------

NOTE: This drive supports Apollo Gen9 servers and beyond only.

HP 800GB 6G SATA Write Intensive-2 LFF 3.5-in LPC 3yr Wty Solid State Drive	831725-B21
---	------------

NOTE: These drives support Gen8 servers and beyond only.

HP 400GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804668-B21
---	------------

HP 400GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691856-B21
---	------------

HP 200GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804642-B21
---	------------

HP 200GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691854-B21
---	------------

HP 100GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691852-B21
---	------------

6G SATA Quick-release SFF (2.5-inch) SSDs

NOTE: These drives are supported by the SL230s Gen8 and SL250s Gen8 only.

HP 800GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730057-B21
---	------------

HP 400GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730055-B21
---	------------

HP 200GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730053-B21
---	------------

HP 100GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730051-B21
---	------------

12G SAS Write Intensive Hot Plug SFF (2.5-inch) SSDs

Models

NOTE: This drive supports Gen8 servers and beyond only.

HP 1.6TB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive

779176-B21

NOTE: This drive supports G7 servers only.

HP 1.6TB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive

779174-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 800GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive

802586-B21

HP 800GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive

779172-B21

NOTE: This drive supports G7 servers only.

HP 800GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive

802584-B21

HP 800GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive

779170-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 400GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive

802582-B21

HP 400GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive

779168-B21

NOTE: This drive supports G7 servers only.

HP 400GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive

802580-B21

HP 400GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive

779166-B21

NOTE: This drive supports Gen8 servers and beyond only.

HP 200GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive

802578-B21

HP 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive

779164-B21

NOTE: This drive supports G7 servers only.

HP 200GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive

802576-B21

HP 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive

779162-B21

NVMe PCIe Write Intensive SSDs

NOTE: This drive supports DL380 Gen9 only

HP 2TB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

764894-B21

NOTE: These drives support DL360, DL380, DL560, DL580 Gen9 only

HP 1.6TB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

764892-B21

NOTE: These drives support DL360, DL380, DL560, DL580, ML350 Gen9 only

HP 800GB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

736939-B21

HP 400GB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive

736936-B21

Standard Features

What is SSD?	An enduring data storage device using semiconductor technology to store and access data which is non-volatile without the aid of an auxiliary power source.		
SSD Quality	Today's distributed enterprise is seeing larger, more complex applications, an increase of mission-critical data moving to the server, increasing demand for transaction processing and critical server consolidation. In this environment, storage has become a critical component of the information system, significantly defining both the systems reliability and performance. This is why HPE drives undergo an intense qualification process that eliminates firmware and O/S incompatibilities. All drive firmware is specific to our drives and is designed to maximize both functionality and compatibility. All of our drives are proven to be reliable and tuned for optimum performance in the HPE equipment for which they were designed.		
Integration	Many issues customers have with third party drives are "simple" integration issues. When buying from another supplier, there is no guarantee that a drive has been correctly set for proper operation with ProLiant servers and storage systems. These incompatibilities can create problems in configuration, can rob your system of performance, or at their worst, can cause you to lose data. HPE drives are specifically designed and tested for flawless operation in your HPE equipment. The integration of solid state drives in HPE systems means that associated components are right for your ProLiant server.		
Support Matrix	<p>Please see the following URL for the latest list of supported servers and enclosures:</p> <p>http://h18004.www1.hp.com/products/servers/proliantstorage/drives-enclosures/docs/index.html</p> <p>NOTE: Non-hot plug devices are 15mm Z-height which restricts them to those servers that can accept a 15mm device</p>		
Product Category	HPE Enterprise SSDs are available in three categories based on workload level: Read Intensive (RI), Mixed Use (MU), and Write Intensive (WI). The categories indicate the number of drive writes per day (DWPD1) that you can expect from the drive. (DWPD is the maximum number of 4K host writes to the entire drive capacity of the SSD per day over a five-year period.		
		Write Performance Driven Workloads: OLTP, Business Intelligence, Big Data Analytics, VDI, etc.	Read Performance Driven Workloads: Read caching, Web Servers, Social Media, Boot/Swap, etc.
PCIe & PCIe NVMe	SFF, Add-In Cards, Mezz Cards	High Write Performance Endurance >=10 DWPD	Balanced R/W Performance Endurance >1 and <10 DWPD
12GB SAS	SFF, LFF		
6GB SATA	SFF, LFF, M.2 M.2 Enablement Kits		
		Write Intensive	Mixed Use
			Read Intensive

Standard Features

Maximum Usage Limitations NAND Flash devices use semiconductor technology that has a finite number of data that can be written to the device, defined as the Maximum Usage Limit, commonly called write endurance.

Write Endurance - Write endurance is measured while running 100% random 4KiB writes across the entire SSD
 Drive Writes Per Day - Workload environment is based on 100% random 4KiB writes for five (5) years

Drive	Write endurance specifications for 6G SATA Read Intensive (RI) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JEDEC219 workload)
VE Enterprise Boot 80GB	40TB	0.3
Read Intensive-3 120GB	175TB	0.8
Read Intensive-2 120GB	66TB	0.3
VE Enterprise Boot 120GB	75TB	0.3
Read Intensive-3 240GB	351TB	0.8
Read Intensive-2 240GB	131TB	0.3
Read Intensive 240GB	180TB	0.4
VE Enterprise Value 240GB	145TB	0.3
Read Intensive-3 480GB	368TB	0.4
Read Intensive-2 480GB	263TB	0.3
Read Intensive 480GB	368TB	0.4
VE Enterprise Value 480GB	290TB	0.3
Read Intensive-2 800GB	438TB	0.3
VE Enterprise Value 800GB	490TB	0.3
Read Intensive-3 960GB	1403TB	0.8
Read Intensive 1.6TB	877TB	0.3
VE Enterprise Value 1.6TB	935TB	0.3

Standard Features

Read Intensive-3 1.92TB	2805TB	0.8
Read Intensive-3 3.84TB	5610TB	0.8
Drive	Write endurance specifications for 12G SAS Read Intensive (RI) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
12G SAS Read Intensive-3 480GB	876TB	1
12G SAS VE Enterprise Value 800GB	1800TB	1
12G SAS Read Intensive-3 960GB	1752TB	1
12G SAS VE Enterprise Value 1600GB	3700TB	1
12G SAS Read Intensive 1.92TB	6.78PB	1.9
12G SAS Read Intensive-3 1.92TB	3504TB	1
12G SAS Read Intensive-3 3.84TB	7008TB	1
Drive	Write endurance specifications for Read Intensive (RI) M.2	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years
340GB 6G SATA Read Intensive M.2 2280	180TB	0.3
Read Intensive M.2 Enablement Kit 120GB	170TB	0.78
120GB 6G SATA Read Intensive M.2 2280	70TB	0.3
VE M.2 Enablement Kit 64GB	384TB	0.3
Drive	Write endurance specifications for NVMe PCIe Read Intensive (RI) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
Read Intensive 400GB	219TB	0.3
Read Intensive 1.2TB	657TB	0.3
2.0TB	1095PB	0.3
Drive	Write endurance specifications for 6G SATA Mixed Use (MU) SSDs	

Standard Features

	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
Mixed Use-3 120GB	657TB	3
VE Enterprise Value M1 120GB	550TB	2.5
Mixed Use-2 200GB	1096TB	3
Mixed Use-3 240GB	1315TB	3
VE Enterprise Value M1 240GB	1100TB	2.5
Mixed Use-3 480GB	2630TB	3
Mixed Use-2 480GB	2630TB	3
VE Enterprise Value M1 480GB	2200TB	2.5
Mixed Use-2 800GB	4383TB	3
VE Enterprise Value 120GB G1	1900TB	1.3
VE Enterprise Value 240GB G1	430TB	1.9
VE Enterprise Value 48GB G1	860TB	1.9
Mixed Use-3 960GB	1730TB	1.9
LE Enterprise Value 960GB	5260TB	3
Mixed Use-2 1.6TB	6728TB	3.8
Mixed Use-3 1.92TB	8766TB	3
Mixed Use-3 1.92TB	10519TB	3
Drive	Write endurance specifications for 12Gb SAS Mixed Use (MU) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
12G SAS Mixed Use-3 400GB	2190TB	3
12G SAS Mixed Use-3	4380TB	3

Standard Features

800GB		
12G SAS Mixed Use-3 1.6TB	8760TB	3
12G SAS Mixed Use-3 3.2TB	17520TB	3
Drive	Write endurance specifications for NVMe PCIe Mixed Use (MU) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
Mixed Use 400GB	2.19PB	3
Mixed Use 800GB	4.38PB	3
Mixed Use 1.6TB	8.76PB	3
Mixed Use 2.0TB	10.95PB	3
Drive	Write endurance specifications for 6G SATA Write Intensive SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
ME Enterprise Mainstream 100GB	1.8PB	10
Write Intensive-2 200GB	3653TB	10
ME Enterprise Mainstream 200GB	3.6PB	10
Write Intensive-2 400GB	7305TB	10
ME Enterprise Mainstream 400GB	7.2PB	10
Write Intensive-2 800GB	14610TB	10
ME Enterprise Mainstream 800GB	14.6PB	10
Write Intensive-2 1.2TB	21915TB	10
Drive	Write endurance specifications for 12G SAS Write Intensive (WI) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
12G SAS ME ENT Mainstream H2 200GB	3.9PB	10
12G ME ENT	7.3PB	10

Standard Features

Mainstream H2 400GB		
12G SAS ME ENT	14.6PB	10
Mainstream H2 800GB		
12G SAS ME ENT	29.2PB	10
Mainstream H2 1.6TB		
12G SAS Write Intensive 200GB	9.1PB	25
12G SAS Write Intensive 400GB	18.3PB	25
12G SAS Write Intensive 800GB	36.5PB	25
Drive	Write endurance specifications for NVMe PCIe Write Intensive (WI) SSDs	
	Lifetime Writes	Drive Writes Per Day for Five (5) Years (using JESD219 workload)
Write Intensive 400GB	7.3PB	10
Write Intensive 800GB	14.6PB	10
Write Intensive 1.6TB	29.2PB	10
Write Intensive 2.0TB	36.5PB	10

HPE Solid State Drives are equipped with tools that can report the amount of lifetime remaining. Introducing HPE SMARTSSD Wear Gauge™. In order to take advantage of SMARTSSD Wear Gauge™, Smart Array Firmware version 5.0 or greater is required and HPE Array Configuration Utility (ACU) or HPE Diagnostic Utility (ADU) must be running.

SNMP Storage Agents for both Microsoft® Windows® and Linux provide status and condition updates through traps, OS event logs and the HPE System Management Homepage

<http://h18013.www1.hp.com/products/servers/management/agents/index.html>.

The HPE SMARTSSD Wear Gauge™ requires a Smart Array or Smart HBA controller listed below.

- HPE Smart Array PX1X Controller Series or newer
- HPE Smart HBA PX4XController Series
- HPE Dynamic Smart Array BX2XiController Series or newer
- HPE Dynamic Smart Array B320i Controller

NOTE: Subject to maximum usage/maximum supported lifetime limitations. Maximum Supported Lifetime is the period in years set to equal the warranty for the device. Maximum usage limit is the maximum amount of data that can be written to the device before reaching the device's write endurance limit.

HPE Direct Connect to the HPE Smart Array B110i SATA RAID Controller is not supported in this tool.

Data Retention

Data Retention is the period of time for retaining the data in the NAND once the maximum rated endurance level has occurred. These SSD's are rated for 3 months if no power is applied once the SSD has reached maximum rated write endurance.

Standard Features

Warranty

3/0/0 warranty; Customer Self Repair (CSR) subject to maximum usage limitations. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for warranty coverage.

Service and Support

Service and Support

HPE Technology Services for Industry Standard Servers

HPE Technology Services delivers confidence, reduces risk and helps customers realize agility and stability powered by a rich portfolio of consulting and support services designed to add value to our core products and solutions. Connect to Hewlett Packard Enterprise to help prevent problems and solve issues faster. Our support technology lets you to tap into the knowledge of millions of devices and thousands of experts to stay informed and in control, anywhere, any time.

Protect your business beyond warranty with HPE Support Services

HPE support services offer complete care and support expertise with committed response choices that are designed to meet your IT and business needs.

NOTE: HPE Solid State Drives are supported as a part of the HPE Server Infrastructure. No separate Support Services are needed to be purchased.

Connect your devices to HPE

Unlock all of the benefits of your technology investment by connecting your products to Hewlett Packard Enterprise. Achieve up to 77%¹ reduction in down time, near 100%² diagnostic accuracy and a single consolidated view of your environment. By connecting, you will receive 24x7 monitoring, pre-failure alerts, automatic call logging, and automatic parts dispatch. HPE Proactive Care Service and HPE Datacenter Care Service customers will also benefit from proactive activities to help prevent issues and increase optimization. All of these benefits are already available to you with your server storage and networking products, securely connected to HPE support.

1. IDC Whitepaper
2. HPE CSC Reports 2014-2015

HPE Support Center

Personalized online support portal with access to information, tools and experts to support HPE business products. Submit support cases online, chat with Hewlett Packard Enterprise experts, access support resources or collaborate with peers. Learn more <http://www.hp.com/go/hpsc>

HPE Support Center Mobile App allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime.

HPE Insight Remote Support and HPE Support Center are available at no additional cost with a Hewlett Packard Enterprise warranty, HPE Support Services or HPE contractual support agreement.

NOTE: HPE Support Center Mobile App above is subject to local availability.

Parts and materials

Hewlett Packard Enterprise will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction.

Warranty / Service Coverage

For ProLiant servers and storage systems, the service on the main product covers HP-branded hardware options not designated by Hewlett Packard Enterprise as requiring separate coverage, that are qualified for the server, purchased at the same time or afterward and internal to the enclosure. These items will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been reached.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. It does not apply Disk or SSD/Flash Drives that have not

Service and Support

failed. SSD/Flash Drives that are specified by Hewlett Packard Enterprise as consumable parts and/or that have reached maximum supported lifetime and/or the maximum usage limits as set forth in the manufacturer's operating manual, the product QuickSpecs, or the technical data sheet are not eligible for the defective media retention service feature option.

Subject to: Maximum supported lifetime: This is a period in years set to equal the warranty for the specific drive. After this period no further service coverage will be available for the drive. Maximum usage limit: This is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for services coverage.

For more information

To learn more on services for HPE ESSN Options, please contact your Hewlett Packard Enterprise sales representative or Hewlett Packard Enterprise Authorized Channel Partner. Or visit:
<http://www.hp.com/services/proliant> or <http://www.hp.com/services/bladesystem>

Service and Support

HPE Solid State Drives

Application Information Solid State Drives offer high performance, low latency, low power solutions that fit seamlessly into the HPE server infrastructure using HP's universal hot plug drive carrier. HPE Enterprise SSDs support Power Loss Protection (PLP).

NOTE: Any drive with SC in the product description is for Gen8 hot plug server bays servers only. They cannot be used in any other server generation.

Read Intensive SSDs

6G SATA Read Intensive Hot Plug SFF (2.5-inch) Solid State Drives

NOTE: The 80GB and 120GB Enterprise Boot SSDs with Endurance Manager enabled are targeted for Boot/Swap applications and may have performance throttled due to write workloads. Write performance shown for 80GB and 120GB Enterprise Boot SSDs is based on no endurance throttling.

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

HPE 3.84TB	816929-B21	Capacity	3.84TB
6G SATA		Height	15mm
Read		Length x Width	Standard SFF
Intensive-3		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous	6Gbps (Maximum)
3yr Wty Solid		Performance	Rotational Speed Access Latency
State Drive			63,000 IOP/s
			Random Reads 20,000 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 480 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 1.92TB	816919-B21	Capacity	1.92TB
6G SATA		Height	15mm
Read		Length x Width	Standard SFF
Intensive-3		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous	6Gbps (Maximum)
3yr Wty Solid		Performance	Rotational Speed Access Latency
State Drive			63,000 IOP/s
			Random Reads 20,000 IOP/s

Service and Support

HPE 1.6TB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804605-B21	Physical Configuration	Sequential Reads	535 MiB/s
		Power	Sequential Writes	480 MiB/s
		Operating Temperature	Logical Blocks	512 bytes
			9W	
HPE 1.6TB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	757339-B21	Transfer Rate Synchronous (Maximum)	0-60°C	
		Performance	Rotational Speed	N/A
			Access Latency	
			Random Reads	61,500 IOP/s
			Random Writes	15,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes	430 MiB/s
		Physical Configuration	Logical Blocks	
		Power	9W	
		Operating Temperature	0-60°C	
HPE 1.6TB 6G	757351-B21	Capacity	1.6TB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)		
		Performance	Rotational Speed	N/A
			Access Latency	
			Random Reads	59,000 IOP/s
			Random Writes	14,300 IOP/s
			Sequential Reads	485 MiB/s
HPE 1.6TB 6G	757351-B21		Sequential Writes	400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

Service and Support

SATA Value	Height	15mm
Endurance	Length x Width	Standard SFF
SFF 2.5-in	Interface	SATA
Enterprise		
Value 3yr Wty	Transfer Rate Synchronous	6Gbps
Solid State	(Maximum)	
Drive	Performance	Rotational Speed
		N/A
		Access Latency
		Random Reads 59,000 IOP/s
		Random Writes 14,300 IOP/s
		Sequential Reads 485 MiB/s
		Sequential Writes 400 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 960GB	816909-B21	Capacity	960GB
6G SATA		Height	15mm
Read		Length x Width	Standard SFF
Intensive-3		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous	6Gbps
3yr Wty Solid	(Maximum)		
State Drive		Performance	Rotational Speed
			N/A
			Access Latency
			Random Reads 62,000 IOP/s
			Random Writes 19,000 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 485 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 800GB	804599-B21	Capacity	800GB
6G SATA		Height	15mm
Read		Length x Width	Standard SFF
Intensive-2		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous	6Gbps
3yr Wty Solid	(Maximum)		
State Drive		Performance	Rotational Speed
			Random Reads 61,500 IOP/s

Service and Support

HPE 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	717973-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes
			N/A 64,000 IOP/s 12,000 IOP/s 480MiB/s 445 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Solid State Drive	728743-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes
			N/A 64,000 IOP/s 12,000 IOP/s 480 MiB/s 445 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 480GB 6G SATA	816899-B21	Capacity	480GB
		Height	15mm

Service and Support

Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A
		Access Latency
		Random Reads 61,000 IOP/s
		Random Writes 14,300 IOP/s
		Sequential Reads 530 MiB/s
		Sequential Writes 405 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 480GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804593-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
			Random Reads 61,500 IOP/s
			Random Writes 15,500 IOP/s
			Sequential Reads 480 MiB/s
			Sequential Writes 445 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C

HP 480GB 6G SATA Read Intensive SFF 2.5-in SC 3yr Wty G2 Solid State Drive	789145-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Random Reads 61,000 IOP/s
			Random Writes 14,300 IOP/s
			Sequential Reads 530 MiB/s
			Sequential Writes 405 MiB/s

Service and Support

Physical Configuration	Logical Blocks	512 bytes
Power	9W	
Operating Temperature	0-60°C	

HP 480GB 6G 789151-B21
SATA Read
Intensive SFF
2.5-in 3yr Wty
G2 Solid State
Drive

Capacity	15mm	
Height	Standard SFF	
Length x Width	SATA	
Interface	6Gbps	
Transfer Rate Synchronous (Maximum)	Rotational Speed	N/A
	Random Reads	61,000 IOP/s
	Random Writes	14,300 IOP/s
	Sequential Reads	530 MiB/s
	Sequential Writes	405 MiB/s
Physical Configuration	Logical Blocks	512 bytes
Power	9W	
Operating Temperature	0-60°C	

HP 480GB 6G 816903-B21
SATA Read
Intensive-3
LFF 3.5-in SC
Converter 3yr
Wty Solid
State Drive

Capacity	15mm	
Height	Standard LFF	
Length x Width	SATA	
Interface	6Gbps	
Transfer Rate Synchronous (Maximum)	Rotational Speed	N/A
	Random Reads	61,000 IOP/s
	Random Writes	14,300 IOP/s
	Sequential Reads	530 MiB/s
	Sequential Writes	405 MiB/s
Physical Configuration	Logical Blocks	512 bytes
Power	9W	
Operating Temperature	0-60°C	

HPE 240GB
6G SATA
Read
Intensive-3
SFF 2.5-in SC
3yr Wty Solid

Capacity	240GB	
Height	15mm	
Length x Width	Standard SFF	
Interface	SATA	
Transfer Rate Synchronous	6 Gbps	

Service and Support

State Drive		(Maximum)
Performance		Rotational Speed
Random Reads		65,000 IOP/s
Random Writes		10,500 IOP/s
Sequential Reads		530 MiB/s
Sequential Writes		275 MiB/s
Physical Configuration		Logical Blocks
Power		512 bytes
Operating Temperature		0-60°C
HPE 240GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive		Capacity 240GB
		Height 15mm
		Length x Width Standard SFF
		Interface SATA
		Transfer Rate Synchronous 6Gbps
		(Maximum)
		Performance Rotational Speed
		Random Reads 61,500 IOP/s
		Random Writes 10,200 IOP/s
		Sequential Reads 480 MiB/s
		Sequential Writes 265 MiB/s
		Physical Configuration Logical Blocks
		Power 9W
		Operating Temperature 0-60°C
HPE 120GB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive		Capacity 120GB
		Height 15mm
		Length x Width Standard SFF
		Interface SATA
		Transfer Rate Synchronous 6Gbps
		(Maximum)
		Performance Rotational Speed
		Random Reads 67,000 IOP/s
		Random Writes 5,500 IOP/s
		Sequential Reads 375MiB/s
		Sequential Writes 125 MiB/s
		Physical Configuration Logical Blocks
		Power 9W
		Operating Temperature 0-60°C

Service and Support

HPE 120GB 6G	804581-B21	Capacity	120GB
SATA Read		Height	15mm
Intensive-2		Length x Width	Standard SFF
SFF 2.5-in SC		Interface	SATA
3yr Wty Solid		Transfer Rate Synchronous	6Gbps
State Drive		(Maximum)	
		Performance	Rotational Speed
			Random Reads 61,500 IOP/s
			Random Writes 5,400 IOP/
			Sequential Reads 480 MiB/s
			Sequential Writes 135 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C

HPE 120GB 6G	717965-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Boot 3yr Wty		(Maximum)	
Solid State		Performance	Rotational Speed N/A
Drive			Random Reads 64,000 IOP/s
			Random Writes 4,700 IOP/s
			Sequential Reads 410 MiB/s
			Sequential Writes 130 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 120GB 6G	728726-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Boot 3yr Wty		(Maximum)	
Solid State		Performance	Rotational Speed N/A
Drive			Random Reads 64,000 IOP/s
			Random Writes 4,700 IOP/s

Service and Support

HPE 80GB 6G SATA Read Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804575-B21	Physical Configuration	Sequential Reads	410 MiB/s
		Power	Sequential Writes	130 MiB/s
		Operating Temperature	Logical Blocks	512 bytes
			9W	
			0-60°C	
		Capacity	80GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
HPE 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	734360-B21	Performance	Rotational Speed	
			Random Reads	61,000 IOP/s
			Random Writes	8,400 IOP/s
			Sequential Reads	-370 MiB/s
			Sequential Writes	105 MiB/s
		Physical Configuration	Logical Blocks	
		Power	9W	
		Operating Temperature	0-60°C	
HPE 80GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Boot 3yr Wty Solid State Drive	734360-B21	Capacity	80GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	59,000 IOP/s
			Random Writes	7,700 IOPS
			Sequential Reads	335MiB/s
			Sequential Writes	100 MiB/s
6G SATA Read Intensive Hot Plug LFF (3.5-inch) Solid State Drives	816933-B21	Physical Configuration	Logical Blocks	
		Power	9W	
		Operating Temperature	0-60°C	
		Capacity	3.84TB	
		Height	15mm	

6G SATA Read Intensive Hot Plug LFF (3.5-inch) Solid State Drives

HPE 3.84TB 6G SATA	816933-B21	Capacity	3.84TB
		Height	15mm

Service and Support

Read Intensive-3 SFF 3.5-in SC 3yr Wty Solid State Drive	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
		Access Latency
		Random Reads 63,000 IOP/s
		Random Writes 20,000 IOP/s
		Sequential Reads 535 MiB/s
		Sequential Writes 480 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 1.92TB 6G SATA Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Capacity	1.92TB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
		Access Latency
		Random Reads 63,000 IOP/s
		Random Writes 20,000 IOP/s
		Sequential Reads 535 MiB/s
		Sequential Writes 480 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 1.6TB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	Capacity	1.6TB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
		Random Reads 61,500 IOP/s
		Random Writes 15,000 IOP/s

Service and Support

HPE 1.6TB 6G SATA Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive	757342-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	<p>Rotational Speed</p> <p>Access Latency</p> <p>Random Reads 59,000 IOP/s</p> <p>Random Writes 14,300 IOP/s</p> <p>Sequential Reads 485 MiB/s</p> <p>Sequential Writes 400 MiB/s</p>
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 960GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816913-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	<p>Rotational Speed</p> <p>Access Latency</p> <p>Random Reads 62,000 IOP/s</p> <p>Random Writes 19,000 IOP/s</p> <p>Sequential Reads 535 MiB/s</p> <p>Sequential Writes 485 MiB/s</p>
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB	804602-B21	Capacity	800GB

Service and Support

6G SATA	Height	15mm
Read Intensive-2	Length x Width	Standard LFF
LFF 3.5-in SCC	Interface	SATA
3yr Wty Solid State Drive	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
	Random Reads	61,500 IOP/s
	Random Writes	15,500 IOP/s
	Sequential Reads	480 MiB/s
	Sequential Writes	465 MiB/s
	Physical Configuration	Logical Blocks
	Power	9W
	Operating Temperature	0-60°C

HPE 800GB	718189-B21	Capacity	800GB
6G SATA		Height	15mm
Value Endurance		Length x Width	Standard LFF
LFF 3.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous (Maximum)	6Gbps
Value 3yr Wty Solid State Drive		Performance	Rotational Speed
		Random Reads	64,000 IOP/s
		Random Writes	12,000 IOP/s
		Sequential Reads	480 MiB/s
		Sequential Writes	445 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C

HPE 480GB	816903-B21	Capacity	480GB
6G SATA		Height	15mm
Read Intensive-3		Length x Width	Standard SFF
LFF 3.5-in SC		Interface	SATA
Converter 3yr Wty Solid State Drive		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Access Latency	N/A
		Random Reads	61,000 IOP/s
		Random Writes	14,300 IOP/s

Service and Support

HPE 240GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816893-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6 Gbps
		Performance	Rotational Speed
			Random Reads 65,000 IOP/s
			Random Writes 10,500 IOP/s
			Sequential Reads 530 MiB/s
			Sequential Writes 275 MiB/s
HPE 120GB 6G SATA Read Intensive-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816883-B21	Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
		Capacity	120GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
			Random Reads 67,000 IOP/s
HPE 80GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid	804578-B21		Random Writes 5,500 IOP/s
			Sequential Reads 375MiB/s
			Sequential Writes 125 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
		Capacity	80GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous	6Gbps

Service and Support

State Drive	(Maximum)
Performance	
Rotational Speed	
Random Reads	61,000 IOP/s
Random Writes	8,400 IOP/s
Sequential Reads	370 MiB/s
Sequential Writes	105 MiB/s
Physical Configuration	
Logical Blocks	
Power	9W
Operating Temperature	0-60°C

6G SATA Read Intensive LFF (3.5-inch) Solid State Drives

HPE 800GB 6G	728745-B21	Capacity	800GB
SATA Value		Height	15mm
Endurance LFF		Length x Width	Standard LFF
3.5-in		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Value 3yr Wty		(Maximum)	
Solid State		Performance	
Drive		Rotational Speed	N/A
		Random Reads	64,000 IOP/s
		Random Writes	12,000 IOP/s
		Sequential Reads	480 MiB/s
		Sequential Writes	445 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 600GB 6G	739900-B21	Capacity	600GB
SATA Value		Height	15mm
Endurance LFF		Length x Width	Standard LFF
3.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Value 3yr Wty		(Maximum)	
Solid State		Performance	
Drive		Rotational Speed	N/A
		Random Reads	61,000 IOP/s
		Random Writes	15,000 IOP/s
		Sequential Reads	475 MiB/s
		Sequential Writes	435 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

Service and Support

HPE 600GB 6G 739906-B21 SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	Capacity	600GB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 15,000 IOP/s Sequential Reads 475 MiB/s Sequential Writes 435 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
HPE 480GB 6G 804596-B21 SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	Capacity	480GB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed Random Reads 61,500 IOP/s Random Writes 15,500 IOP/s Sequential Reads 480 MiB/s Sequential Writes 445 MiB/s
	Physical Configuration	Logical Blocks
	Power	9W
	Operating Temperature	0-60°C
HPE 480GB 6G 789147-B21 SATA Read Intensive LFF 3.5-in SC Converter 3yr Wty Solid State Drive	Capacity	480GB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 14,300 IOP/s Sequential Reads 530 MiB/s Sequential Writes 405 MiB/s

Service and Support

		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
HPE 480GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	718183-B21	Capacity	480GB		
		Height	15mm		
		Length x Width	Standard LFF		
		Interface	SATA		
		Transfer Rate Synchronous (Maximum)	6Gbps		
		Performance	Rotational Speed	N/A	
			Random Reads	64,000 IOP/s	
			Random Writes	10,000 IOP/s	
			Sequential Reads	480 MiB/s	
			Sequential Writes	400 MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
HPE 480GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	728741-B21	Capacity	480GB		
		Height	15mm		
		Length x Width	Standard LFF		
		Interface	SATA		
		Transfer Rate Synchronous (Maximum)	6Gbps		
		Performance	Rotational Speed	N/A	
			Random Reads	64,000 IOP/s	
			Random Writes	10,000 IOP/s	
			Sequential Reads	480 MiB/s	
			Sequential Writes	400 MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
HPE 300GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State	739890-B21	Capacity	300GB		
		Height	15mm		
		Length x Width	Standard LFF		
		Interface	SATA		
		Transfer Rate Synchronous (Maximum)	6Gbps		
		Performance	Rotational Speed	N/A	

Service and Support

HPE 300GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	739896-B21	Capacity	300GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 9,200 IOP/s Sequential Reads 475 MiB/s Sequential Writes 300 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 240GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804590-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 61,500 IOP/s Random Writes 10,200 IOP/s Sequential Reads 480 MiB/s Sequential Writes 265 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 240GB 6G SATA Read Intensive LFF	789137-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard LFF

Service and Support

3.5-in SC Converter 3yr Wty Solid State Drive	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 11,800 IOP/s Sequential Reads 530 MiB/s Sequential Writes 275 MiB/s Logical Blocks 512 bytes
	Physical Configuration	
	Power	9W
	Operating Temperature	0-60°C
HPE 240GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Value 3yr Wty Solid State Drive	Capacity	240GB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 8,000 IOP/s Sequential Reads 475 MiB/s Sequential Writes 250 MiB/s Logical Blocks 512 bytes
	Physical Configuration	
	Power	9W
	Operating Temperature	0-60°C
	Capacity	240GB

HPE 240GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 8,000 IOP/s Sequential Reads 475 MiB/s Sequential Writes 250 MiB/s Logical Blocks 512 bytes
	Physical Configuration	
	Power	9W
	Operating Temperature	0-60°C
	Capacity	240GB

HPE 240GB 6G SATA Value Endurance LFF 3.5-in Enterprise Value 3yr Wty Solid State Drive	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 8,000 IOP/s Sequential Reads 475 MiB/s Sequential Writes 250 MiB/s Logical Blocks 512 bytes
	Physical Configuration	
	Power	9W
	Operating Temperature	0-60°C
	Capacity	240GB

Service and Support

HPE 120GB 6G SATA Read Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804584-B21	Capacity	120GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 61,500 IOP/s Random Writes 5,400 IOP/s Sequential Reads 480 MiB/s Sequential Writes 135 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 120GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	718171-B21	Capacity	120GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 4,700 IOP/s Sequential Reads 410 MiB/s Sequential Writes 130 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 120GB 6G SATA Value Endurance LFF 3.5-in Enterprise Boot 3yr Wty Solid State Drive	728732-B21	Capacity	120GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 4,700 IOP/s Sequential Reads 410 MiB/s Sequential Writes 130 MiB/s

Service and Support

HPE 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
HPE 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	Capacity	80GB	
	Height	15mm	
	Length x Width	Standard LFF	
	Interface	SATA	
	Transfer Rate Synchronous (Maximum)	6Gbps	
	Performance	Rotational Speed	N/A
		Random Reads	59,000 IOP/s
		Random Writes	7,700 IOPS
		Sequential Reads	335MiB/s
		Sequential Writes	100 MiB/s
HPE 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
HPE 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	Capacity	80GB	
	Height	15mm	
	Length x Width	Standard LFF	
	Interface	SATA	
	Transfer Rate Synchronous (Maximum)	6Gbps	
	Performance	Rotational Speed	N/A
		Random Reads	59,000 IOP/s
		Random Writes	7,700 IOPS
		Sequential Reads	335MiB/s
		Sequential Writes	100 MiB/s
HPE 80GB 6G SATA Value Endurance LFF 3.5-in SC Enterprise Boot 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	

6G SATA Read Intensive Quick Release (2.5-inch) Solid State Drives

HPE 120GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise	Capacity	120GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps

Service and Support

Boot 3yr Wty Solid State Drive	Performance	Rotational Speed	N/A
	Random Reads	64,000 IOP/s	
	Random Writes	4,700 IOP/s	
	Sequential Reads	410 MiB/s	
	Sequential Writes	130 MiB/s	
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	

HPE 80GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Boot 3yr Wty Solid State Drive	Capacity	80GB	
	Height	15mm	
	Length x Width	Standard SFF	
	Interface	SATA	
	Transfer Rate Synchronous (Maximum)	6Gbps	
	Performance	Rotational Speed	N/A
	Random Reads	59,000 IOP/s	
	Random Writes	7,700 IOPS	
	Sequential Reads	335MiB/s	
	Sequential Writes	100 MiB/s	
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	

6G SATA Read Intensive Quick Release SFF (2.5-inch) Solid State Drives

HPE 1.6TB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3yr Wty Solid State Drive	Capacity	1.6TB	
	Height	15mm	
	Length x Width	Standard SFF	
	Interface	SATA	
	Transfer Rate Synchronous (Maximum)	6Gbps	
	Performance	Rotational Speed	N/A
	Access Latency		
	Random Reads	59,000 IOP/s	
	Random Writes	14,300 IOP/s	
	Sequential Reads	485 MiB/s	
	Sequential Writes	400 MiB/s	
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	

Service and Support

HPE 800GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3y Wty Solid StateDrive	718192-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 64,000 IOP/s Random Writes 12,000 IOP/s Sequential Reads 480 MiB/s Sequential Writes 445 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 600GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3yr Wty Solid State Drive	739902-B21	Capacity	600GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 15,000 IOP/s Sequential Reads 475 MiB/s Sequential Writes 435 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 480GB 6G SATA Read Intensive SFF 2.5-in Quick- release 3yr Wty Solid State Drive	789149-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 14,300 IOP/s Sequential Reads 530 MiB/s Sequential Writes 405 MiB/s

Service and Support

HPE 480GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3yr Wty Solid State Drive	718186-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HPE 300GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3yr Wty Solid State Drive	739892-B21	Capacity	480GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	64,000 IOP/s
			Random Writes	10,000 IOP/s
			Sequential Reads	480 MiB/s
			Sequential Writes	400 MiB/s
HPE 300GB 6G SATA Value Endurance SFF 2.5-in Quick- release Enterprise Value 3yr Wty Solid State Drive	739892-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HPE 240GB 6G SATA Read Intensive SFF 2.5-in Quick- release 3yr Wty Solid State Drive	789139-B21	Capacity	300GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	61,000 IOP/s
			Random Writes	9,200 IOP/s
			Sequential Reads	475 MiB/s
			Sequential Writes	300 MiB/s
HPE 240GB 6G SATA Read Intensive SFF 2.5-in Quick- release 3yr Wty Solid State Drive	789139-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

Service and Support

HPE 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release Enterprise Value 3yr Wty Solid State Drive	718180-B21	Physical Configuration	Random Reads 61,000 IOP/s
		Power	Random Writes 11,800 IOP/s
		Operating Temperature	Sequential Reads 530 MiB/s
			Sequential Writes 275 MiB/s
			Logical Blocks 512 bytes
		Capacity	9W
		Height	0-60°C
		Length x Width	
		Interface	Standard SFF
		Transfer Rate Synchronous (Maximum)	SATA
		Performance	6Gbps
			Rotational Speed N/A
			Random Reads 64,000 IOP/s
			Random Writes 8,000 IOP/s
			Sequential Reads 475 MiB/s
			Sequential Writes 250 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	
		Operating Temperature	9W
			0-60°C

6G SATA Read Intensive Non-hot Plug SFF (2.5-inch) Solid State Drives

HPE 1.6TB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty Non-hot Plug Solid State Drive	757357-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Access Latency
			Random Reads 59,000 IOP/s
			Random Writes 14,300 IOP/s
			Sequential Reads 485 MiB/s
			Sequential Writes 400 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	
		Operating Temperature	9W
			0-60°C

HPE 480GB 6G	789153-B21	Capacity	480GB
---------------------	-------------------	-----------------	-------

Service and Support

SATA Read Intensive SFF 2.5-in 3yr Wty Non-hot Plug Solid State Drive	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 14,300 IOP/s Sequential Reads 530 MiB/s Sequential Writes 405 MiB/s
	Physical Configuration	512 bytes
	Power	9W
	Operating Temperature	0-60°C
	<hr/>	
	Capacity	240GB
HPE 240GB 6G SATA Read Intensive SFF 2.5-in 3yr Wty Non-hot Plug Solid State Drive	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 61,000 IOP/s Random Writes 11,800 IOP/s Sequential Reads 530 MiB/s Sequential Writes 275 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	<hr/>	
	Capacity	120GB
HPE 120GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A Random Reads 60,000 IOP/s Random Writes 10,200 IOP/s
	<hr/>	

Service and Support

Physical Configuration	Sequential Reads	470 MiB/s
Power	Sequential Writes	310 MiB/s
Operating Temperature	Logical Blocks	512 bytes
		9W
		0-60°C

HPE Read Intensive Solid State M.2 Enablement Kit for ProLiant Servers

NOTE: Performance shown is for a single 64GB M.2 Enablement Kit and will vary for the Dual 64GB M.2 Enablement.

HPE Dual 64GB Value Endurance Solid State M.2 Enablement Kit for ProLiant Blades	775588-B21	Capacity	64GB
		Height	15mm
		Length x Width	N/A
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Access Latency
			Random Reads 10,000 IOP/s
			Random Writes 710 IOP/s
			Sequential Reads 330 MiB/s
			Sequential Writes 1.9 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE Dual 64GB Value Endurance Solid State M.2 Enablement Kit for ProLiant Blades	775588-B21	Capacity	64GB
		Height	15mm
		Length x Width	N/A
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Access Latency
			Random Reads 10,000 IOP/s
			Random Writes 710 IOP/s
			Sequential Reads 330 MiB/s
			Sequential Writes 1.9 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 64GB	785233-B21	Capacity	64GB
-----------------	-------------------	-----------------	------

Service and Support

Value	Height	15mm
Endurance	Length x Width	N/A
Solid State M.2	Interface	SATA
Enablement	Transfer Rate Synchronous	6Gbps
Kit for		(Maximum)
ProLiant	Performance	Rotational Speed
Blades		N/A
		Access Latency
		Random Reads 10,000 IOP/s
		Random Writes 710 IOP/s
		Sequential Reads 330 MiB/s
		Sequential Writes 1.9 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

NOTE: Performance shown is for a single 120GB M.2 Enablement Kit and will vary for the Dual 120GB M.2 Enablement.

HPE Dual	777894-B21	Capacity	120GB
120GB Read		Height	15mm
Intensive Solid		Length x Width	N/A
State M.2		Interface	SATA
Enablement		Transfer Rate Synchronous	6Gbps
Kit for			(Maximum)
ProLiant		Performance	Rotational Speed
ML/DL Servers			N/A
			Access Latency
			Random Reads 61,000 IOP/s
			Random Writes 12,000 IOP/s
			Sequential Reads 455 MiB/s
			Sequential Writes 150 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 120GB	788028-B21	Capacity	120GB
Read Intensive		Height	15mm
Solid State M.2		Length x Width	N/A
Enablement		Interface	SATA
Kit for		Transfer Rate Synchronous	6Gbps
ProLiant			(Maximum)
ML/DL Servers		Performance	Rotational Speed
			N/A
			Access Latency
			Random Reads 61,000 IOP/s

Service and Support

HPE 120GB 6G SATA Read Intensive M.2 2280 3yr Wty Solid State Drive	777262-B21	Capacity	120GB
		Height	15mm
		Length x Width	N/A
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes
			N/A 69,000 IOP/s 12,000 IOP/s 450 MiB/s 150 MiB/s
		Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W 0-60°C
HPE 340GB 6G SATA Read Intensive M.2 2280 3yr Wty Solid State Drive	777264-B21	Capacity	340GB
		Height	15mm
		Length x Width	N/A
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes
			N/A 71,000 IOP/s 15,000 IOP/s 455 MiB/s 320 MiB/s
		Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W 0-60°C

12G SAS Read Intensive (RI) Hot Plug SFF (2.5-inch) Solid State Drives

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16. Sequential Performance is based on maximum device throughput.

HPE 3.84TB	816576-B21	Capacity	3.84TB
-------------------	-------------------	-----------------	--------

Service and Support

12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 110,000 IOP/s Random Writes 24,000 IOP/s Sequential Reads 940 MiB/s Sequential Writes 975 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	3.84TB
	Height	15mm
HPE 3.84TB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 110,000 IOP/s Random Writes 24,000 IOP/s Sequential Reads 940 MiB/s Sequential Writes 975 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	1.92TB
	Height	15mm
	Length x Width	Standard SFF
HPE 1.92TB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 110,000 IOP/s Random Writes 36,500 IOP/s Sequential Reads 940 MiB/s Sequential Writes 925 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	1.92TB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS

Service and Support

HPE 1.92TB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	816570-B21	Capacity	1.92TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 110,000 IOP/s Random Writes 36,500 IOP/s Sequential Reads 940 MiB/s Sequential Writes 925 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 1.92TB 12G SAS Read Intensive SFF 2.5-in SC 3yr Wty Solid State Drive	802891-B21	Capacity	1920GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A Random Reads 102,000 IOP/s Random Writes 34,000 IOP/s Sequential Reads 1,000 MiB/s Sequential Writes 510 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 1.92TB 12G SAS Read Intensive SFF 2.5-in 3yr Wty Solid State Drive	802888-B21	Capacity	1920GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A Random Reads 102,000 IOP/s Random Writes 34,000 IOP/s Sequential Reads 1,000 MiB/s Sequential Writes 510 MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

HPE 1.6TB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	762263-B21	Power	9W
		Operating Temperature	0-60°C
HPE 960GB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816568-B21	Capacity	1600GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed Random Reads Random Writes Sequential Reads Sequential Writes
			N/A 96,000 IOP/s 25,000 IOP/s 1,000 MiB/s 385 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 960GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	816564-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads Random Writes Sequential Reads Sequential Writes
			110,000 IOP/s 30,000 IOP/s 940 MiB/s 900 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 960GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	816564-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads Random Writes Sequential Reads
			110,000 IOP/s 30,000 IOP/s 940 MiB/s

Service and Support

Physical Configuration	Sequential Writes	900 MiB/s
Power	Logical Blocks	512 bytes
Operating Temperature	9W	
	0-60°C	

HPE 800GB 12G SAS Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty Solid State Drive	Capacity	800GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Rotational Speed N/A
		Random Reads 91,000 IOP/s
		Random Writes 28,000 IOP/s
		Sequential Reads 1,000 MiB/s
		Sequential Writes 390 MiB/s
HPE 480GB 12G SAS Read Intensive-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	480GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 108,000 IOP/s
		Random Writes 17,500 IOP/s
		Sequential Reads 940 MiB/s
		Sequential Writes 515 MiB/s
HPE 480GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	480GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 108,000 IOP/s

HPE 480GB 12G SAS Read Intensive-3 SFF 2.5-in 3yr Wty Solid State Drive	Capacity	480GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Random Reads 108,000 IOP/s

Service and Support

Physical Configuration	Random Writes	17,500 IOP/s
Power	Sequential Reads	940 MiB/s
Operating Temperature	Sequential Writes	515 MiB/s
	Logical Blocks	512 bytes
	9W	
	0-60°C	

12G SAS Read Intensive (RI) Hot Plug LFF (3.5-inch) Solid State Drives

HPE 1.6TB 12G SAS Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive	762272-B21	Capacity	1600GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A
			Random Reads 96,000 IOP/s
			Random Writes 25,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 385 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 800GB 12G SAS Value Endurance LFF 3.5-in SC Converter Enterprise Value 3yr Wty Solid State Drive	762270-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A
			Random Reads 91,000 IOP/s
			Random Writes 28,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 390 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

NVMe PCIe Read Intensive (RI) Hot Insertion/Assisted Removal SFF (2.5-inch) Solid State Drives**NOTE:** Please see select Gen9 compatibility on SKU listings page 5

HPE 2TB	764908-B21	Capacity	2.0TB
----------------	-------------------	-----------------	-------

Service and Support

NVMe PCIe	Height	15mm
Read	Length x Width	Standard SFF
Intensive SFF	Interface	PCIe
2.5-in SC2 3yr	Transfer Rate Synchronous	
Wty Solid	(Maximum)	
State Drive	Performance	Rotational Speed
	Random Reads	145,000 IOP/s
	Random Writes	29,000 IOP/s
	Sequential Reads	2,500 MiB/s
	Sequential Writes	1,600 MiB/s
	Physical Configuration	Logical Blocks
	Power	512 bytes
	Operating Temperature	0-60°C

HPE 1.2TB	764906-B21	Capacity	1.2TB
NVMe PCIe		Height	15mm
Read		Length x Width	Standard SFF
Intensive SFF		Interface	PCIe
2.5-in SC2 3yr		Transfer Rate Synchronous	
Wty Solid	(Maximum)	Performance	Rotational Speed
State Drive		Random Reads	N/A
		Random Writes	141,000 IOP/s
		Sequential Reads	23,500 IOP/s
		Sequential Writes	2,500 MiB/s
		Physical Configuration	Logical Blocks
		Physical Configuration	512 bytes
		Power	25W
		Operating Temperature	0-60°C

HPE 400GB	764904-B21	Capacity	400GB
NVMe PCIe		Height	15mm
Read		Length x Width	Standard SFF
Intensive SFF		Interface	PCIe
2.5-in SC2 3yr		Transfer Rate Synchronous	
Wty Solid	(Maximum)	Performance	Rotational Speed
State Drive		Random Reads	N/A
		Random Writes	150,000 IOP/s
		Sequential Reads	26,500 IOP/s
		Sequential Writes	2,200 MiB/s
		Physical Configuration	Logical Blocks
		Physical Configuration	512 bytes

Service and Support

Power	25W
Operating Temperature	0-60°C

Mixed Use SSDs

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

6G SATA Mixed Use Hot Plug SFF (2.5-inch) Solid State Drives

HPE 1.92TB 6G SATA Mixed Use-3 in SC 3yr Wty Solid State Drive	817011-B21	Capacity	1.92TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Random Reads	67,000 IOP/s
		Random Writes	29,500 IOP/s
		Sequential Reads	535 MiB/s
		Sequential Writes	500 MiB/s
		Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W
			0-60°C

HPE 1.6TB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804631-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Random Reads	64,000 IOP/s
		Random Writes	23,000 IOP/s
		Sequential Reads	535 MiB/s
		Sequential Writes	360 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C

HPE 960GB	816995-B21	Capacity	960GB
------------------	-------------------	-----------------	-------

Service and Support

6G SATA	Height	15mm
Mixed Use-3	Length x Width	Standard SFF
SFF 2.5-in SC	Interface	SATA
3yr Wty Solid	Transfer Rate Synchronous (Maximum)	6Gbps
State Drive	Performance	Rotational Speed
		Random Reads 67,000 IOP/s
		Random Writes 26,500 IOP/s
		Sequential Reads 535 MiB/s
		Sequential Writes 500 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 960GB	756601-B21	Capacity	960GB
6G SATA		Height	15mm
Light		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous (Maximum)	6Gbps
Enterprise		Performance	Rotational Speed N/A
Light 3yr Wty			Random Reads 58,800 IOP/s
G1 Solid State			Random Writes 13,200 IOP/s
Drive			Sequential Reads 470 MiB/s
			Sequential Writes 455 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 960GB	756611-B21	Capacity	960GB
6G SATA		Height	15mm
Light		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in		Transfer Rate Synchronous (Maximum)	6Gbps
Enterprise		Performance	Rotational Speed N/A
Light 3yr Wty			Random Reads 58,800 IOP/s
G1 Solid State			Random Writes 13,200 IOP/s
Drive			Sequential Reads 470 MiB/s
			Sequential Writes 455 MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804625-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
			Random Reads 64,000 IOP/s
			Random Writes 24,000 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 380 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive	764929-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Random Reads 58,000 IOP/s
			Random Writes 26,000 IOP/s
			Sequential Reads 420 MiB/s
			Sequential Writes 335 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Value Endurance SFF 2.5-in Enterprise	764921-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps

Service and Support

Value 3yr Wty M1 Solid State Drive	Performance	Rotational Speed	N/A
		Random Reads	58,000 IOP/s
		Random Writes	26,000 IOP/s
		Sequential Reads	420 MiB/s
		Sequential Writes	335 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
	Capacity	480GB	
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Random Reads	67,000 IOP/s
		Random Writes	26,500 IOP/s
		Sequential Reads	535 MiB/s
		Sequential Writes	495 MiB/s
HPE 480GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
	Capacity	480GB	
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Random Reads	64,000 IOP/s
		Random Writes	26,000 IOP/s
		Sequential Reads	535 MiB/s
		Sequential Writes	380 MiB/s
HPE 480GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks	
	Power	9W	
	Operating Temperature	0-60°C	

Service and Support

HPE 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty G1 Solid State Drive	756657-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 59,500 IOP/s Random Writes 14,400 IOP/s Sequential Reads 470 MiB/s Sequential Writes 470 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty G1 Solid State Drive	756666-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 59,500 IOP/s Random Writes 14,400 IOP/s Sequential Reads 470 MiB/s Sequential Writes 470 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 480GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise Value 3yr Wty M1 Solid State Drive	764927-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,000 IOP/s Random Writes 35,000 IOP/s Sequential Reads 420 MiB/s

Service and Support

HPE 480GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive	764918-B21	Physical Configuration	Sequential Writes	390 MiB/s
		Power	Logical Blocks	512 bytes
		Operating Temperature	9W	
			0-60°C	
		Capacity	480GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
HPE 240GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816975-B21		Random Reads	58,000 IOP/s
			Random Writes	35,000 IOP/s
			Sequential Reads	420 MiB/s
			Sequential Writes	390 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
		Capacity	240GB	
		Height	15mm	
		Length x Width	Standard SFF	
HPE 240GB 6G SATA Value Endurance SFF 2.5-in SC Enterprise	756636-B21	Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	
			Random Reads	69,000 IOP/s
			Random Writes	19,300 IOP/s
			Sequential Reads	535 MiB/s
			Sequential Writes	495MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

Service and Support

Value 3yr Wty G1 Solid State Drive	Performance	Rotational Speed	N/A
		Random Reads	59,500 IOP/s
		Random Writes	14,300 IOP/s
		Sequential Reads	470 MiB/s
		Sequential Writes	460 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
	Capacity	240GB	
	Height	15mm	
HPE 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty G1 Solid State Drive	Length x Width	Standard SFF	
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
		Random Reads	59,500 IOP/s
		Random Writes	14,300 IOP/s
		Sequential Reads	470 MiB/s
		Sequential Writes	460 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
HPE 240GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive	Operating Temperature	0-60°C	
		Capacity	240GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
		Random Reads	58,000 IOP/s
		Random Writes	35,000 IOP/s
		Sequential Reads	420 MiB/s
HPE 240GB 6G SATA	Sequential Writes	325 MiB/s	
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
	Operating Temperature	0-60°C	

Service and Support

Value	Length x Width	Standard SFF
Endurance	Interface	SATA
SFF 2.5-in SC	Transfer Rate Synchronous (Maximum)	6Gbps
Enterprise	Performance	Rotational Speed N/A
Value 3yr Wty		Random Reads 58,000 IOP/s
M1 Solid State Drive		Random Writes 35,000 IOP/s
		Sequential Reads 420 MiB/s
		Sequential Writes 325 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 200GB 6G SATA Mixed Use-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804613-B21	Capacity	200GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 64,000 IOP/s Random Writes 12,000 IOP/s Sequential Reads 535 MiB/s Sequential Writes 220 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C

HPE 120GB 6G SATA Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	816965-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 68,000 IOP/s Random Writes 12,000 IOP/s Sequential Reads 510 MiB/s Sequential Writes 475 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W

Service and Support

		Operating Temperature	0-60°C
HPE 120GB 6G	756621-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Value 3yr Wty		(Maximum)	
G1 Solid State		Performance	
Drive		Rotational Speed	N/A
		Random Reads	60,000 IOP/s
		Random Writes	10,200 IOP/s
		Sequential Reads	470 MiB/s
		Sequential Writes	310 MiB/s
		Logical Blocks	512 bytes
		Physical Configuration	
		Power	9W
		Operating Temperature	0-60°C
HPE 120GB 6G	756630-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Value 3yr Wty		(Maximum)	
G1 Solid State		Performance	
Drive		Rotational Speed	N/A
		Random Reads	60,000 IOP/s
		Random Writes	10,200 IOP/s
		Sequential Reads	470 MiB/s
		Sequential Writes	310 MiB/s
		Logical Blocks	512 bytes
		Physical Configuration	
		Power	9W
		Operating Temperature	0-60°C
HPE 120GB 6G	764923-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Value 3yr Wty		(Maximum)	
M1 Solid State		Performance	
Drive		Rotational Speed	N/A
		Random Reads	58,000 IOP/s
		Random Writes	24,000 IOP/s
		Sequential Reads	430 MiB/s

Service and Support

HPE 120GB 6G SATA Value Endurance SFF 2.5-in Enterprise Value 3yr Wty M1 Solid State Drive	764914-B21	Physical Configuration	Sequential Writes	205 MiB/s
		Power	Logical Blocks	512 bytes
		Operating Temperature	9W	0-60°C
HPE 1.92TB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	817015-B2	Capacity	120GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	58,000 IOP/s
			Random Writes	24,000 IOP/s
			Sequential Reads	430 MiB/s
			Sequential Writes	205 MiB/s
HPE 1.6TB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr	804634-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

6G SATA Mixed Use Hot Plug LFF (3.5-inch) Solid State Drives

HPE 1.92TB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	817015-B2	Capacity	1.92TB	
		Height	15mm	
		Length x Width	Standard LFF	
HPE 1.6TB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr	804634-B21	Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	
			Random Reads	67,000 IOP/s
			Random Writes	29,500 IOP/s
			Sequential Reads	535 MiB/s
			Sequential Writes	500 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

HPE 1.6TB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr	804634-B21	Capacity	1.6TB	
		Height	15mm	
		Length x Width	Standard LFF	

Service and Support

Wty Solid State Drive	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
		Random Reads 64,000 IOP/s
		Random Writes 23,000 IOP/s
		Sequential Reads 535 MiB/s
		Sequential Writes 360 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 960GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816999-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
			Random Reads 67,000 IOP/s
			Random Writes 26,500 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 500 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 960GB 6G SATA Light Endurance LFF 3.5-in SC Converter ENT Light 3yr Wty G1 Solid State Drive	756604-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A
			Random Reads 58,800 IOP/s
			Random Writes 13,200 IOP/s
			Sequential Reads 470 MiB/s
			Sequential Writes 455 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W

Service and Support

		Operating Temperature	0-60°C
HPE 800GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804628-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 64,000 IOP/s Random Writes 24,000 IOP/s Sequential Reads 535 MiB/s Sequential Writes 380 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764945-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,000 IOP/s Random Writes 26,000 IOP/s Sequential Reads 420 MiB/s Sequential Writes 335 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State	764937-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,000 IOP/s
		Physical Configuration	
		Power	
		Operating Temperature	

Service and Support

Drive		Random Writes	26,000 IOP/s
		Sequential Reads	420 MiB/s
		Sequential Writes	335 MiB/s
		Logical Blocks	512 bytes
		Physical Configuration	
		Power	9W
		Operating Temperature	0-60°C
<hr/>			
HPE 480GB	816989-B21	Capacity	480GB
6G SATA		Height	15mm
Mixed Use-3		Length x Width	Standard LFF
LFF 3.5-in SC		Interface	SATA
Converter 3yr		Transfer Rate Synchronous (Maximum)	6Gbps
Wty Solid		Performance	Rotational Speed
State Drive			Random Reads 67,000 IOP/s
			Random Writes 26,500 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 495 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
<hr/>			
HPE 480GB	832417-B21	Capacity	480GB
6G SATA		Height	15mm
Mixed Use-2		Length x Width	Standard LFF
LFF 3.5-in SCC		Interface	SATA
3yr Wty Solid		Transfer Rate Synchronous (Maximum)	6Gbps
State Drive		Performance	Rotational Speed
			Random Reads 64,000 IOP/s
			Random Writes 26,000 IOP/s
			Sequential Reads 535 MiB/s
			Sequential Writes 380 MiB/s
		Physical Configuration	Logical Blocks
		Power	9W
		Operating Temperature	0-60°C
<hr/>			
HPE 480GB	756660-B21	Capacity	480GB

Service and Support

6G SATA	Height	15mm
Value	Length x Width	Standard LFF
Endurance	Interface	SATA
LFF 3.5-in SC	Transfer Rate Synchronous (Maximum)	6Gbps
Converter		
ENT Value 3yr		
Wty G1 Solid	Performance	Rotational Speed N/A
State Drive		Random Reads 59,500 IOP/s
		Random Writes 14,400 IOP/s
		Sequential Reads 470 MiB/s
		Sequential Writes 470 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 480GB	764943-B21	Capacity	480GB
6G SATA		Height	15mm
Value		Length x Width	Standard LFF
Endurance		Interface	SATA
LFF 3.5-in SC		Transfer Rate Synchronous (Maximum)	6Gbps
Converter			
ENT Value 3yr			
Wty M1 Solid		Performance	Rotational Speed N/A
State Drive			Random Reads 58,000 IOP/s
			Random Writes 35,000 IOP/s
			Sequential Reads 420 MiB/s
			Sequential Writes 390 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 480GB	764943-B21	Capacity	480GB
6G SATA		Height	15mm
Value		Length x Width	Standard LFF
Endurance		Interface	SATA
LFF 3.5-in		Transfer Rate Synchronous (Maximum)	6Gbps
Converter			
Enterprise			
Value 3yr Wty		Performance	Rotational Speed N/A
M1 Solid State			Random Reads 58,000 IOP/s
Drive			Random Writes 35,000 IOP/s
			Sequential Reads 420 MiB/s
			Sequential Writes 390 MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

		Power	9W
		Operating Temperature	0-60°C
HPE 240GB 6G SATA Mixed Use-3 LFF 3.5-in SC Converter 3yr Wty Solid State Drive	816979-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed Random Reads 69,000 IOP/s Random Writes 19,300 IOP/s Sequential Reads 535 MiB/s Sequential Writes 495MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty M1 Solid State Drive	764941-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,000 IOP/s Random Writes 35,000 IOP/s Sequential Reads 420 MiB/s Sequential Writes 325 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 240GB 6G SATA Value Endurance LFF 3.5-in Converter Enterprise Value 3yr Wty M1 Solid State	764933-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,000 IOP/s

Service and Support

HPE 240GB 6G SATA Value Endurance LFF 3.5-in SC Converter ENT Value 3yr Wty G1 Solid State Drive	756639-B21	Drive	Random Writes	35,000 IOP/s
		Physical Configuration	Sequential Reads	420 MiB/s
		Power	Sequential Writes	325 MiB/s
		Operating Temperature	Logical Blocks	512 bytes
			9W	
			0-60°C	
		Capacity	240GB	
		Height	15mm	
		Length x Width	Standard LFF	
		Interface	SATA	
HPE 200GB 6G SATA Mixed Use-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804616-B21	Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	59,500 IOP/s
			Random Writes	14,300 IOP/s
			Sequential Reads	470 MiB/s
			Sequential Writes	460 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HPE 120GB 6G SATA Mixed Use-3 LFF 3.5-	816969-B21	Capacity	200GB	
		Height	15mm	
		Length x Width	Standard LFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	
			Random Reads	64,000 IOP/s
			Random Writes	12,000 IOP/s
			Sequential Reads	535 MiB/s
			Sequential Writes	220 MiB/s
HPE 120GB 6G SATA Mixed Use-3 LFF 3.5-	816969-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
		Capacity	120GB	
		Height	15mm	
		Length x Width	Standard LFF	

Service and Support

in SC	Interface	SATA
Converter 3yr	Transfer Rate Synchronous	6Gbps
Wty Solid	(Maximum)	
State Drive	Performance	Rotational Speed
		Random Reads 68,000 IOP/s
		Random Writes 12,000 IOP/s
		Sequential Reads 510 MiB/s
		Sequential Writes 475 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 120GB 6G	756624-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard LFF
LFF 3.5-in SC		Interface	SATA
Converter		Transfer Rate Synchronous	6Gbps
ENT Value 3yr		(Maximum)	
Wty G1 Solid		Performance	Rotational Speed N/A
State Drive			Random Reads 60,000 IOP/s
			Random Writes 10,200 IOP/s
			Sequential Reads 470 MiB/s
			Sequential Writes 310 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 120GB 6G	764931-B21	Capacity	120GB
SATA Value		Height	15mm
Endurance		Length x Width	Standard LFF
LFF 3.5-in		Interface	SATA
Converter		Transfer Rate Synchronous	6Gbps
Enterprise		(Maximum)	
Value 3yr Wty		Performance	Rotational Speed N/A
M1 Solid State			Random Reads 58,000 IOP/s
Drive			Random Writes 24,000 IOP/s
			Sequential Reads 430 MiB/s
			Sequential Writes 205 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

Service and Support

6G SATA Mixed Use Quick-release SFF (2.5-inch) Solid State Drives

HPE 960GB	756607-B21	Capacity	960GB
6G SATA		Height	15mm
Light		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in		Transfer Rate Synchronous (Maximum)	6Gbps
Quick-release		Performance	Rotational Speed N/A
ENT Light 3yr			Random Reads 58,000 IOP/s
Wty G1 Solid			Random Writes 13,200 IOP/s
State Drive			Sequential Reads 470 MiB/s
			Sequential Writes 455 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 800GB	764953-B21	Capacity	800GB
6G SATA		Height	15mm
Value		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in		Transfer Rate Synchronous (Maximum)	6Gbps
Quick-release		Performance	Rotational Speed N/A
ENT Value 3yr			Random Reads 58,000 IOP/s
Wty M1 Solid			Random Writes 26,000 IOP/s
State Drive			Sequential Reads 420 MiB/s
			Sequential Writes 335 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 480GB	756663-B21	Capacity	480GB
6G SATA		Height	15mm
Value		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in		Transfer Rate Synchronous (Maximum)	6Gbps
Quick-release		Performance	Rotational Speed N/A
ENT Value 3yr			Random Reads 59,500 IOP/s
Wty G1 Solid			Random Writes 14,400 IOP/s
State Drive			

Service and Support

HPE 480GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty M1 Solid State Drive	764951-B21	Physical Configuration	Sequential Reads	470 MiB/s
		Power	Sequential Writes	470 MiB/s
		Operating Temperature	Logical Blocks	512 bytes
			9W	
			0-60°C	
		Capacity	480GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
HPE 240GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty G1 Solid State Drive	756642-B21	Performance	Rotational Speed	N/A
			Random Reads	58,000 IOP/s
			Random Writes	35,000 IOP/s
			Sequential Reads	420 MiB/s
			Sequential Writes	390 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
		Capacity	240GB	
HPE 240GB 6G SATA Value Endurance SFF 2.5-in	764949-B21	Height	15mm	
		Length x Width	Standard SFF	
		Interface	SATA	
		Transfer Rate Synchronous (Maximum)	6Gbps	
		Performance	Rotational Speed	N/A
			Random Reads	59,500 IOP/s
			Random Writes	14,300 IOP/s
			Sequential Reads	470 MiB/s
			Sequential Writes	460 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
HPE 240GB 6G SATA Value Endurance SFF 2.5-in	764949-B21	Power	9W	
		Operating Temperature	0-60°C	-
		Capacity	240GB	
		Height	15mm	

Service and Support

Quick-release ENT Value 3yr Wty M1 Solid State Drive	(Maximum)		
	Performance	Rotational Speed	N/A
		Random Reads	58,000 IOP/s
		Random Writes	35,000 IOP/s
		Sequential Reads	420 MiB/s
		Sequential Writes	325 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
HPE 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty M1 Solid State Drive	Capacity	120GB	
	Height	15mm	
	Length x Width	Standard SFF	
	Interface	SATA	
	Transfer Rate Synchronous	6Gbps	
		(Maximum)	
	Performance	Rotational Speed	N/A
		Random Reads	58,000 IOP/s
		Random Writes	24,000 IOP/s
		Sequential Reads	430 MiB/s
HPE 120GB 6G SATA Value Endurance SFF 2.5-in Quick-release ENT Value 3yr Wty G1 Solid State Drive		Sequential Writes	205 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	
	Capacity	120GB	
	Height	15mm	
	Length x Width	Standard SFF	
	Interface	SATA	
	Transfer Rate Synchronous	6Gbps	
		(Maximum)	
	Performance	Rotational Speed	N/A
		Random Reads	60,000 IOP/s
		Random Writes	10,200 IOP/s
		Sequential Reads	470 MiB/s
		Sequential Writes	310 MiB/s
	Physical Configuration	Logical Blocks	512 bytes
	Power	9W	
	Operating Temperature	0-60°C	

6G SATA Mixed Use Non-hot Plug SFF (2.5-inch) Solid State Drives

Service and Support

HPE 960GB 6G SATA Light Endurance SFF 2.5-in ENT Light Non-hot Plug 3yr Wty G1 Solid State Drive	756614-B21	Capacity	960GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 58,800 IOP/s Random Writes 13,200 IOP/s Sequential Reads 470 MiB/s Sequential Writes 455 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 480GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756669-B21	Capacity	480GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 59,500 IOP/s Random Writes 14,400 IOP/s Sequential Reads 470 MiB/s Sequential Writes 470 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C -
HPE 240GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756654-B21	Capacity	240GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 59,500 IOP/s Random Writes 14,300 IOP/s Sequential Reads 470 MiB/s Sequential Writes 460 MiB/s

Service and Support

HPE 120GB 6G SATA Value Endurance SFF 2.5-in ENT Value 3yr Wty Non-hot Plug G1 Solid State Drive	756633-B21	Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
HPE 2TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid State Drive	765044-B21	Capacity	120GB		
		Height	15mm		
		Length x Width	Standard SFF		
		Interface	SATA		
		Transfer Rate Synchronous (Maximum)	6Gbps		
		Performance	Rotational Speed	N/A	
			Random Reads	60,000 IOP/s	
			Random Writes	10,200 IOP/s	
			Sequential Reads	470 MiB/s	
			Sequential Writes	310 MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	9W		
		Operating Temperature	0-60°C		
NVMe PCIe Mixed Use (MU) Hot Insertion/Assisted Removal SFF (2.5-inch) Solid State Drives					
NOTE: Please see select Gen9 compatibility on SKU listings page 8					
HPE 1.6TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid	765038-B21	Capacity	2.0TB		
		Height	15mm		
		Length x Width	Standard SFF		
		Interface	PCIe		
		Transfer Rate Synchronous (Maximum)			
		Performance	Rotational Speed		
			Random Reads	145,000 IOP/s	
			Random Writes	64,000 IOP/s	
			Sequential Reads	2,600 MiB/s	
			Sequential Writes	1,600 MiB/s	
		Physical Configuration	Logical Blocks	512 bytes	
		Power	25W		
		Operating Temperature	0-60°C		

HPE 1.6TB NVMe PCIe Mixed Use SFF 2.5-in SC2 3yr Wty Solid	765038-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	PCIe
		Transfer Rate Synchronous	

Service and Support

State Drive			(Maximum)	
		Performance	Rotational Speed	
HPE 800GB	736936-B21	Capacity	800GB	
NVMe PCIe		Height	15mm	
Mixed Use SFF		Length x Width	Standard SFF	
2.5-in SC2 3yr		Interface	PCIe	
Wty Solid				
State Drive		Transfer Rate Synchronous (Maximum)		
		Performance	Rotational Speed	
			Random Reads	140,000 IOP/s
			Random Writes	67,000 IOP/s
			Sequential Reads	2,400 MiB/s
			Sequential Writes	1,400 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	25W	
		Operating Temperature	0-60°C	
HPE 400GB	765034-B21	Capacity	400GB	
NVMe PCIe		Height	15mm	
Mixed Use SFF		Length x Width	Standard SFF	
2.5-in SC2 3yr		Interface	PCIe	
Wty Solid				
State Drive		Performance	Rotational Speed	
			Random Reads	130,000 IOP/s
			Random Writes	39,500 IOP/s
			Sequential Reads	2,000 MiB/s
			Sequential Writes	475 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	25W	
		Operating Temperature	0-60°C	

12G SAS Mixed Use (MU) Hot Plug SFF (2.5-inch) Solid State Drives

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16. Sequential Performance is based on maximum

Service and Support

device throughput.

HPE 3.2TB 12G SAS Mixed Use- 3 SFF 2.5-in SC 3yr Wty Solid State Drive	822567-B21	Capacity	3.2TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 93,000 IOP/s Random Writes 53,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 950 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 3.2TB 12G SAS Mixed Use- 3 SFF 2.5-in 3yr Wty Solid State Drive	822565-B21	Capacity	3.2TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 93,000 IOP/s Random Writes 53,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 950 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 1.6TB 12G SAS Mixed Use- 3 SFF 2.5-in SC 3yr Wty Solid State Drive	822563-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 95,000 IOP/s Random Writes 73,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 915 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W

Service and Support

		Operating Temperature	0-60°C
HPE 1.6TB 12G SAS Mixed Use- 3 SFF 2.5-in 3yr Wty Solid State Drive	822561-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 95,000 IOP/s Random Writes 73,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 915 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 12G SAS Mixed Use- 3 SFF 2.5-in SC 3yr Wty Solid State Drive	822559-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 110,000 IOP/s Random Writes 74,500 IOP/s Sequential Reads 950 MiB/s Sequential Writes 815 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB 12G SAS Mixed Use- 3 SFF 2.5-in 3yr Wty Solid State Drive	822557-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 110,000 IOP/s Random Writes 74,500 IOP/s Sequential Reads 950 MiB/s Sequential Writes 815 MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

HPE 400GB 12G SAS Mixed Use-3 SFF 2.5-in SC 3yr Wty Solid State Drive	822555-B21	Power	9W
		Operating Temperature	0-60°C
		Capacity	400GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 108,000 IOP/s Random Writes 49,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 510 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 400GB 12G SAS Mixed Use-3 SFF 2.5-in 3yr Wty Solid State Drive	822553-B21	Capacity	400GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Random Reads 108,000 IOP/s Random Writes 49,000 IOP/s Sequential Reads 950 MiB/s Sequential Writes 510 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

Write Intensive SSDs

NOTE: Random Performance is based on a 4KiB transfer size at a queue of 16.

6G SATA Write Intensive (WI) Hot Plug SFF (2.5-inch) Solid State Drives

HPE 1.2TB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804677-B21	Capacity	1.2TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A

Service and Support

HPE 800GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804671-B21	Physical Configuration	Random Reads	64,500 IOP/s
		Power	Random Writes	49,000 IOP/s
		Operating Temperature	Sequential Reads	950 MiB/s
			Sequential Writes	510 MiB/s
			Logical Blocks	512 bytes
		Transfer Rate Synchronous (Maximum)	9W	
		Performance	0-60°C	
			Random Reads	64,500 IOP/s
			Random Writes	46,500 IOP/s
			Sequential Reads	540 MiB/s
			Sequential Writes	370 MiB/s
HPE 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691868-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
		Transfer Rate Synchronous (Maximum)	Rotational Speed	
		Performance	Random Reads	64,500 IOP/s
			Random Writes	46,500 IOP/s
			Sequential Reads	540 MiB/s
			Sequential Writes	370 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
HPE 800GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	730065-B21	Operating Temperature	0-60°C	
		Transfer Rate Synchronous (Maximum)	Rotational Speed	N/A
		Performance	Random Reads	61,000 IOP/s
			Random Writes	35,000 IOP/s
			Sequential Reads	480MiB/s
			Sequential Writes	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
		Transfer Rate Synchronous (Maximum)	Random Reads	61,000 IOP/s
HPE 800GB 6G SATA	730065-B21	Performance	Random Writes	35,000 IOP/s
			Sequential Reads	480MiB/s
HPE 800GB 6G SATA	730065-B21		Sequential Writes	450MiB/s
		Physical Configuration	Logical Blocks	512 bytes
HPE 800GB 6G SATA	730065-B21	Power	9W	
		Operating Temperature	0-60°C	

Service and Support

Mainstream	Length x Width	Standard SFF
Endurance	Interface	SATA
SFF 2.5-in	Transfer Rate Synchronous	6Gbps
Enterprise		(Maximum)
Mainstream	Performance	Rotational Speed N/A
3yr Wty Solid		Random Reads 61,000 IOP/s
State Drive		Random Writes 35,000 IOP/s
		Sequential Reads 480MiB/s
		Sequential Writes 450MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 400GB	804665-B21	Capacity	400GB
6G SATA		Height	15mm
Write		Length x Width	Standard SFF
Intensive-2		Interface	SATA
SFF 2.5-in SC		Transfer Rate Synchronous	6Gbps
3yr Wty Solid			(Maximum)
State Drive		Performance	Rotational Speed
			Random Reads 64,500 IOP/s
			Random Writes 48,000 IOP/s
			Sequential Reads 540 MiB/s
			Sequential Writes 380 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 400GB	730063-B21	Capacity	400GB
6G SATA		Height	15mm
Mainstream		Length x Width	Standard SFF
Endurance		Interface	SATA
SFF 2.5-in		Transfer Rate Synchronous	6Gbps
Enterprise			(Maximum)
Mainstream		Performance	Rotational Speed N/A
3yr Wty Solid			Random Reads 63,000 IOP/s
State Drive			Random Writes 35,000 IOP/s
			Sequential Reads 480MiB/s
			Sequential Writes 450MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

HPE 400GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691866-B21	Power	9W
		Operating Temperature	0-60°C
	804639-B21	Capacity	400GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s Random Writes 35,000 IOP/s Sequential Reads 480MiB/s Sequential Writes 450MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
	730061-B21	Capacity	200GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 64,500 IOP/s Random Writes 42,000 IOP/s Sequential Reads 540 MiB/s Sequential Writes 300 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
		Capacity	200GB
HPE 200GB 6G SATA Write Intensive-2 SFF 2.5-in SC 3yr Wty Solid State Drive	804639-B21	Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 64,500 IOP/s Random Writes 42,000 IOP/s Sequential Reads 540 MiB/s Sequential Writes 300 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
		Capacity	200GB
		Height	15mm
HPE 200GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730061-B21	Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s

Service and Support

HPE 200GB 6G SATA Mainstream Endurance SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691864-B21	Capacity	200GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s Random Writes 32,000 IOP/s Sequential Reads 480MiB/s Sequential Writes 350MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 100GB 6G SATA Mainstream Endurance SFF 2.5-in Enterprise Mainstream 3yr Wty Solid State Drive	730059-B21	Capacity	100GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s Random Writes 19,200 IOP/s Sequential Reads 480MiB/s Sequential Writes 185MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 100GB 6G SATA Mainstream Endurance	691862-B21	Capacity	100GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SATA

Service and Support

SFF 2.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A
		Random Reads 63,000 IOP/s
		Random Writes 19,200 IOP/s
		Sequential Reads 480MiB/s
		Sequential Writes 185MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

6G SATA Write Intensive (WI) Hot Plug LFF (3.5-inch) Solid State Drives

HPE 1.2TB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	Capacity	1.2TB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed N/A
		Random Reads 64,500 IOP/s
		Random Writes 45,000 IOP/s
		Sequential Reads 540 MiB/s
		Sequential Writes 370 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 800GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	Capacity	800GB
	Height	15mm
	Length x Width	Standard LFF
	Interface	SATA
	Transfer Rate Synchronous (Maximum)	6Gbps
	Performance	Rotational Speed
		Random Reads 64,500 IOP/s
		Random Writes 46,500 IOP/s
		Sequential Reads 540 MiB/s
		Sequential Writes 370 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W

Service and Support

		Operating Temperature	0-60°C
HPE 800GB	831725-B21	Capacity	800GB
6G SATA		Height	15mm
Write		Length x Width	Low-profile Converter
Intensive-2		Interface	SATA
LFF 3.5-in LPC		Transfer Rate Synchronous (Maximum)	6Gbps
3yr Wty Solid		Performance	Rotational Speed
State Drive			Random Reads 64,500 IOP/s
			Random Writes 46,500 IOP/s
			Sequential Reads 540 MiB/s
			Sequential Writes 370 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 800GB	691860-B21	Capacity	800GB
6G SATA		Height	15mm
Mainstream		Length x Width	Standard LFF
Endurance		Interface	SATA
LFF 3.5-in SC		Transfer Rate Synchronous (Maximum)	6Gbps
Enterprise		Performance	Rotational Speed N/A
Mainstream			Random Reads 61,000 IOP/s
3yr Wty Solid			Random Writes 35,000 IOP/s
State Drive			Sequential Reads 480MiB/s
			Sequential Writes 450MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 400GB	804668-B21	Capacity	400GB
6G SATA		Height	15mm
Write		Length x Width	Standard LFF
Intensive-2		Interface	SATA
LFF 3.5-in SCC		Transfer Rate Synchronous (Maximum)	6Gbps
3yr Wty Solid			
State Drive			

Service and Support

HPE 400GB 6G SATA Mainstream Endurance LFF 3.5-in SC Enterprise Mainstream 3yr Wty Solid State Drive	691856-B21	Performance	Rotational Speed
		Random Reads	64,500 IOP/s
		Random Writes	48,000 IOP/s
		Sequential Reads	540 MiB/s
		Sequential Writes	380 MiB/s
		Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W
			0-60°C
HPE 200GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804642-B21	Capacity	400GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed
		Random Reads	N/A
		Random Writes	63,000 IOP/s
		Sequential Reads	35,000 IOP/s
		Sequential Writes	480MiB/s
HPE 200GB 6G SATA Write Intensive-2 LFF 3.5-in SCC 3yr Wty Solid State Drive	804642-B21	Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W
			0-60°C
		Capacity	200GB
		Height	15mm
		Length x Width	Standard LFF
		Interface	SATA
		Transfer Rate Synchronous (Maximum)	6Gbps
HPE 200GB 6G SATA	691854-B21	Performance	Rotational Speed
		Random Reads	N/A
		Random Writes	63,000 IOP/s
		Sequential Reads	32,000 IOP/s
		Sequential Writes	480MiB/s
		Physical Configuration	Logical Blocks
		Power	512 bytes
		Operating Temperature	9W
			0-60°C

Service and Support

Mainstream	Length x Width	Standard LFF
Endurance	Interface	SATA
LFF 3.5-in SC	Transfer Rate Synchronous	6Gbps
Enterprise		(Maximum)
Mainstream	Performance	Rotational Speed N/A
3yr Wty Solid		Random Reads 63,000 IOP/s
State Drive		Random Writes 32,000 IOP/s
		Sequential Reads 480MiB/s
		Sequential Writes 350MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 100GB 6G SATA	691852-B21	Capacity	100GB
Mainstream		Height	15mm
Endurance		Length x Width	Standard LFF
LFF 3.5-in SC		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Mainstream			(Maximum)
3yr Wty Solid		Performance	Rotational Speed N/A
State Drive			Random Reads 63,000 IOP/s
			Random Writes 19,200 IOP/s
			Sequential Reads 480MiB/s
			Sequential Writes 185MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

6G SATA Write Intensive Quick Release SFF (2.5-inch) Solid State Drives

HPE 800GB 6G SATA	730057-B21	Capacity	800GB
Mainstream		Height	15mm
Endurance		Length x Width	Standard SFF
SFF 2.5-in QR		Interface	SATA
Enterprise		Transfer Rate Synchronous	6Gbps
Mainstream			(Maximum)
3yr Wty Solid		Performance	Rotational Speed N/A
State Drive			Random Reads 61,000 IOP/s
			Random Writes 35,000 IOP/s
			Sequential Reads 480MiB/s
			Sequential Writes 450MiB/s
		Physical Configuration	Logical Blocks 512 bytes

Service and Support

		Power	9W
		Operating Temperature	0-60°C
HPE 400GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730055-B21	Capacity	400GB
		Height	15mm
	730053-B21	Length x Width	Standard SFF
		Interface	SATA
	730051-B21	Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s Random Writes) 35,000 IOP/s Sequential Reads 480MiB/s Sequential Writes 450MiB/s
	730053-B21	Physical Configuration	Logical Blocks 512 bytes
		Power	9W
	730051-B21	Operating Temperature	0-60°C
HPE 200GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730053-B21	Capacity	200GB
		Height	15mm
	730051-B21	Length x Width	Standard SFF
		Interface	SATA
	730051-B21	Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s Random Writes) 32,000 IOP/s Sequential Reads 480MiB/s Sequential Writes 350MiB/s
	730053-B21	Physical Configuration	Logical Blocks 512 bytes
		Power	9W
	730051-B21	Operating Temperature	0-60°C
HPE 100GB 6G SATA Mainstream Endurance SFF 2.5-in QR Enterprise Mainstream 3yr Wty Solid State Drive	730051-B21	Capacity	100GB
		Height	15mm
	730053-B21	Length x Width	Standard SFF
		Interface	SATA
	730055-B21	Transfer Rate Synchronous (Maximum)	6Gbps
		Performance	Rotational Speed N/A Random Reads 63,000 IOP/s
	730053-B21		

Service and Support

Physical Configuration	Random Writes	19,200 IOP/s
Power	Sequential Reads	480MiB/s
Operating Temperature	Sequential Writes	185MiB/s
	Logical Blocks	512 bytes
	9W	
	0-60°C	

12G SAS Write Intensive (WI) Hot Plug SFF (2.5-inch) Solid State Drives

HPE 1.6TB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive	779176-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbs
		Performance	Rotational Speed N/A
			Random Reads 66,000 IOP/s
			Random Writes 62,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 565 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 1.6TB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive	779174-B21	Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbs
		Performance	Rotational Speed N/A
			Random Reads 66,000 IOP/s
			Random Writes 62,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 565 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 800GB 12G SAS Mainstream	779172-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF

Service and Support

Endurance	Interface	SAS
SFF 2.5-in ENT	Transfer Rate Synchronous	12Gbs
Mainstream	(Maximum)	
SC 3yr Wty H2	Performance	
Solid State		Rotational Speed N/A
Drive		Random Reads 66,000 IOP/s
		Random Writes 64,000 IOP/s
		Sequential Reads 1,000 MiB/s
		Sequential Writes 565 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

HPE 800GB	779170-B21	Capacity	800GB
12G SAS		Height	15mm
Mainstream		Length x Width	Standard SFF
Endurance		Interface	SAS
SFF 2.5-in ENT		Transfer Rate Synchronous	12Gbs
Mainstream		(Maximum)	
3yr Wty H2		Performance	
Solid State			Rotational Speed N/A
Drive			Random Reads 66,000 IOP/s
			Random Writes 64,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 565 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C

HPE 800GB	802586-B21	Capacity	800GB
12G SAS Write		Height	15mm
Intensive SFF		Length x Width	Standard SFF
2.5-in SC 3yr		Interface	SAS
Wty Solid		Transfer Rate Synchronous	12Gbps
State Drive		(Maximum)	
		Performance	
			Rotational Speed N/A
			Random Reads 103,000 IOP/s
			Random Writes 89,000 IOP/s
			Sequential Reads 1,000 MiB/s
			Sequential Writes 580 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W

Service and Support

		Operating Temperature	0-60°C
HPE 800GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive	802584-B21	Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A Random Reads 103,000 IOP/s Random Writes 89,000 IOP/s Sequential Reads 1,000 MiB/s Sequential Writes 580 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 400GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream 3yr Wty H2 Solid State Drive	779166-B21	Capacity	200GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbs
		Performance	Rotational Speed N/A Random Reads 70,000 IOP/s Random Writes 62,000 IOP/s Sequential Reads 1,000 MiB/s Sequential Writes 700 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	9W
		Operating Temperature	0-60°C
HPE 400GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive	802582-B21	Capacity	400GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	SAS
		Transfer Rate Synchronous (Maximum)	12Gbps
		Performance	Rotational Speed N/A Random Reads 106,000 IOP/s Random Writes 89,000 IOP/s

Service and Support

HPE 400GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive	802580-B21	Physical Configuration	Sequential Reads	1,000 MiB/s
		Power	Sequential Writes	660 MiB/s
		Operating Temperature	Logical Blocks	512 bytes
			9W	
			0-60°C	
		Capacity	400GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SAS	
		Transfer Rate Synchronous (Maximum)	12Gbps	
HPE 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT Mainstream SC 3yr Wty H2 Solid State Drive	779164-B21	Performance	Rotational Speed	N/A
			Random Reads	106,000 IOP/s
			Random Writes	89,000 IOP/s
			Sequential Reads	1,000 MiB/s
			Sequential Writes	660 MiB/s
		Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	
HPE 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT	779162-B21	Capacity	200GB	
		Height	15mm	
		Length x Width	Standard SFF	
		Interface	SAS	
		Transfer Rate Synchronous (Maximum)	12Gbs	
		Performance	Rotational Speed	N/A
			Random Reads	70,000 IOP/s
			Random Writes	51,000 IOP/s
			Sequential Reads	1,000 MiB/s
			Sequential Writes	510 MiB/s
HPE 200GB 12G SAS Mainstream Endurance SFF 2.5-in ENT	779162-B21	Physical Configuration	Logical Blocks	512 bytes
		Power	9W	
		Operating Temperature	0-60°C	

Service and Support

Mainstream 3yr Wty H2 Solid State Drive	(Maximum)	
	Performance	Rotational Speed N/A
	Random Reads	70,000 IOP/s
	Random Writes	51,000 IOP/s
	Sequential Reads	1,000 MiB/s
	Sequential Writes	510 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
HPE 200GB 12G SAS Write Intensive SFF 2.5-in SC 3yr Wty Solid State Drive	Capacity	200GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Rotational Speed N/A
	Random Reads	106,000 IOP/s
	Random Writes	83,000 IOP/s
	Sequential Reads	1,000 MiB/s
	Sequential Writes	660 MiB/s
HPE 200GB 12G SAS Write Intensive SFF 2.5-in 3yr Wty Solid State Drive	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C
	Capacity	200GB
	Height	15mm
	Length x Width	Standard SFF
	Interface	SAS
	Transfer Rate Synchronous (Maximum)	12Gbps
	Performance	Rotational Speed N/A
NVMe PCIe Write Intensive (WI) Hot Insertion/Assisted Removal SFF (2.5-inch) Solid State	Random Reads	106,000 IOP/s
	Random Writes	83,000 IOP/s
	Sequential Reads	1,000 MiB/s
	Sequential Writes	660 MiB/s
	Physical Configuration	Logical Blocks 512 bytes
	Power	9W
	Operating Temperature	0-60°C

Service and Support

Drives

NOTE: Please see select Gen9 compatibility on SKU listings page 10

HPE 2TB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive	764894-B21	Capacity	2.0TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	PCIe
		Transfer Rate Synchronous (Maximum)	
		Performance	Rotational Speed
			Random Reads 145,000 IOP/s
			Random Writes 170,000 IOP/s
			Sequential Reads 2,600 MiB/s
			Sequential Writes 1,400 MiB/s
HPE 1.6TB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive	764892-B21	Physical Configuration	Logical Blocks 512 bytes
		Power	25W
		Operating Temperature	0-60°C
		Capacity	1.6TB
		Height	15mm
		Length x Width	Standard SFF
		Interface	PCIe
		Transfer Rate Synchronous (Maximum)	
		Performance	Rotational Speed
			Random Reads 140,000 IOP/s
HPE 800GB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive	736939-B21		Random Writes 67,000 IOP/s
			Sequential Reads 2,400 MiB/s
			Sequential Writes 1,400 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	25W
		Operating Temperature	0-60°C
		Capacity	800GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	PCIe
Transfer Rate Synchronous (Maximum)		Performance	Rotational Speed
			Random Reads 155,000 IOP/s
			Random Writes 99,000 IOP/s

Service and Support

Physical Configuration	Sequential Reads	2,600 MiB/s
Power	Sequential Writes	1,700 MiB/s
Operating Temperature	Logical Blocks	512 bytes
		25W
		0-60°C

HPE 400GB NVMe PCIe Write Intensive SFF 2.5-in SC2 3yr Wty Solid State Drive	736936-B21	Capacity	400GB
		Height	15mm
		Length x Width	Standard SFF
		Interface	PCIe
		Transfer Rate Synchronous (Maximum)	
		Performance	Rotational Speed
			Random Reads 150,000 IOP/s
			Random Writes 80,000 IOP/s
			Sequential Reads 2,600 MiB/s
			Sequential Writes 1,000 MiB/s
		Physical Configuration	Logical Blocks 512 bytes
		Power	25W
		Operating Temperature	0-60°C

Environment- End-of-life friendly Management and Products and Recycling Approach

Hewlett Packard Enterprise offers end-of-life HPE product return, trade-in, and recycling programs in many geographic areas. For trade-in information, please go to: <http://www.hp.com/go/green>. To recycle your product, please go to: <http://www.hp.com/go/green> or contact your nearest Hewlett Packard Enterprise sales office. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard Enterprise web site at: <http://www.hp.com/go/green>. These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell HPE equipment.

Summary of Changes

Date	Version History	Action	Description of Change
01-Dec-2015	From Version 33 to 34	Changed	Overview, Models, Standard Features, Service and Support sections were updated.
		Added	SKUs added in Models section: 816576-B21, 816574-B21, 816572-B21, 816568-B21, 816564-B21, 816561-B21, 816560-B21, 822567-B21, 822565-B21, 822563-B21, 822561-B21, 822559-B21, 822557-B21, 822555-B21, 822553-B21
23-Oct-2015	From Version 32 to 33	Changed	Standard Features and Service and Support sections were updated.
		Removed	Obsolete SKUs deleted: 789155-B21, 789161-B21, 757354-B21, 757357-B21, 789143-B21, 757345-B21, 739902-B21, 764921-B21, 756614-B21, 764953-B21.
28-Sep-2015	From Version 31 to 32	Changed	Overview, Models, Standard Features and Service and Support sections were updated.
		Added	SKUs added: 816929-B21, 816899-B21, 816933-B21, 816903-B21, 764908-B21, 816985-B21, 817015-B21, 816979-B21, 764894-B21, 816919-B21, 816889-B21, 816923-B21, 816893-B21, 817011-B21, 816975-B21, 816999-B21, 816969-B21, 816909-B21, 816879-B21, 816913-B21, 816883-B21, 816995-B21, 816965-B21, 816989-B21, 765044-B21.
17-Aug-2015	From Version 30 to 31	Changed	What's new, Models, Standard Features, Service and Support sections were updated.
		Added	SKUs inserted to Models and Service and Support Section.
		Removed	SKUs deleted from Models and Service and Support section.
01-Jun-2015	From Version 29 to 30	Added	SKUs added in models: 777262-B21, 777264-B21
		Changed	Information in Product categories and Technical Specifications sections were updated.
01-May-2015	From Version 28 to 29	Changed	Information in Product categories and Technical Specifications sections were updated.
30-Mar-2015	From Version 27 to 28	Changed	Changes made throughout the QuickSpecs
13-Feb-2015	From Version 26 to 27	Removed	SKUs removed: 777894-B21, 788028-B21
09-Feb-2015	From Version 25 to 26	Changed	Technical Specifications, Standard Features sections were updated
		Added	New SKUs were added on Models section
12-Dec-2014	From Version 24 to 25	Changed	Note on Value Endurance Solid State M.2 Enablement Kit for ProLiant Blades changed from: NOTE: These drives are supported by the BL460c Gen9 and BL660 Gen9 To: NOTE: These drives are supported by the BL460c Gen9
01-Dec-2014	From Version 23 to 24	Changed	Overview, Models and Standard Features sections were updated
		Added	SKUs added: 762263-B21, 762272-B21, 757339-B21, 757342-B21, 757354-B21,

Summary of Changes

			757357-B21, 775588-B21, 785233-B21
23-Sep-2014	From Version 22 to 23	Changed	What's new, Models, Technical Specifications sections were updated
		Added	SKUs added on Models section: 690829-B21, 756666-B21, 756636-B21, 756651-B21, 756621-B21, 756630-B21, 756639-B21, 756624-B21, 756660-B21, 756614-B21, 756669-B21, 756654-B21, 756633-B21, 756663-B21, 756642-B21, 756627-B21
		Removed	Obsolete SKUs removed: 690829-B21, 690821-B21, 690825-B21, 690819-B21, 653082-B21, 636625-B21.
11-Jul-2014	From Version 21 to 22	Changed	Technical Specification Section was updated
08-Jul-2014	From Version 20 to 21	Changed	Technical Specification Section was updated
10-Jun-2014	From Version 19 to 20	Changed	Overview section was updated On Standard Features Maximum Usage Limitations table was updated Technical specifications was updated
01-Apr-2014	From Version 18 to 19	Changed	Models was revised.
18-Feb-2014	From Version 17 to 18	Changed	Changed the What's New section to read: HPE 12Gb SAS SSDs - High Endurance and Mainstream Endurance
09-Dec-2013	From Version 16 to 17	Removed	Discontinued models were removed.
30-Sep-2013	From Version 15 to 16	Changed	Changes made throughout the Technical Specifications section.
16-Aug-2013	From Version 14 to 15	Changed	The Notes in the Models section were revised.
24-Jul-2013	From Version 13 to 14	Changed	Models were revised.
14-Jun-2013	From Version 12 to 13	Changed	Changes were made throughout the QuickSpecs to include new models.
25-Mar-2013	From Version 11 to 12	Added	Standard Features: Added PB to Maximum Usage Limitations to the Lifetime Writes.
04-Jan-2013	From Version 9 to 10	Removed	Removed 6G SAS MLC Hot Plug SFF (2.5-inch) Enterprise Mainstream Solid State Drives
19-Nov-2012	From Version 8 to 9	Changed	Correction made in the Models section.
24-Sep-2012	From Version 7 to 8	Changed	Changes made throughout QuickSpecs.
08-Jun-2012	From Version 6 to 7	Changed	Changes made to Models and Service and Support sections.
01-Jun-2012	From Version 5 to 6	Changed	Corrected Part Numbers in the Models and Technical Specifications sections.
14-May-2012	From Version 4 to 5	Changed	Changes made throughout the QuickSpecs.
16-Mar-2012	From Version 3 to 4	Changed	Maximum Usage Limitations chart was completely revised and Data Retention was added.
06-Mar-2012	From Version 2 to 3	Changed	Models was updated and the title was changed.
07-Jul-2011	From Version 1 to 2	Changed	Changes made in the Standard Features section only.

Summary of Changes



[Sign up for updates](#)

Rate this document

© Copyright 2015 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows NT are US registered trademarks of Microsoft Corporation. Intel is a US registered trademark of Intel Corporation.

For hard drives, 1GB = 1 billion bytes. Actual formatted capacity is less.

c04154378 - 14038 - Worldwide - V34 - 1-December-2015



**Hewlett Packard
Enterprise**